


Features

- 3.2mm × 1.6mm SMT LED, 0.7mm Thickness.
- · Wide Viewing Angle.
- · Ideal For Backlight And Indicator.
- Various Colours and Lens Types Available

Applications

- Automotive: Backlighting in dashboard and switch.
- Telecommunication: Indicator and Backlighting in telephone and fax.
- · Flat Backlight for LCD switch and symbol.

Package Dimensions



Notes

- 1. All dimensions are in millimeters.
- 2. Tolerance is ±0.25 unless otherwise noted.
- 3. Specifications are subject to change without notice.

Device Selection Guide

Part No.	Cł	nip	Lens Colour
MP007093	Material	Emitted Colour	Water Clear
	(InGaAIP)	Yellow	Water Clear

Newark.com/multicomp-pro Farnell.com/multicomp-pro Element14.com/multicomp-pro



Dimensions: Millimetres

RoHS

Compliant

Absolute Maximum Ratings at TA=25°C

Parameter	Symbol	Value	Unit		
Power Dissipation	Po	62	mW		
Forward Current	lF	25	mA		
Peak Forward Current*1	I FP	100	mA		
Reverse Voltage	VR	5	V		
Operating Temperature	Topr	-40°C To +85°C			
Storage Temperature	Tstg	-40°C To +85°C			

Notes:

Electrical / Optical Characteristics at Ta=25°C

Parameter	Symbol	Min.	Тур.	Max	Unit	Test Conditions
Forward Voltage	VF	1.8	_	2.6	V	IF=20mA
Reverse Current	lr	_	_	10	μA	VR=5V
Dominate Wavelength	λD	586	_	594	nm	IF=20mA
Luminous Intensity	lv	130	_	295	mcd	IF=20mA
Viewing Angle	2θ1/2	_	120	_	Deg.	IF=20mA

Remarks:

If special sorting is required (e.g. binning based on forward voltage, luminous intensity, or chromaticity), the typical accuracy of the sorting process is as follows:


1. wavelength: ±1nm

2. Luminous Intensity: ±15%3. Forward Voltage: ±0.1V



^{*1:} Pulse width≤0.1ms, Duty cycle≤1/10

Typical Electrical/Optical Characteristics Curves




Newark.com/multicomp-pro Farnell.com/multicomp-pro Element14.com/multicomp-pro



Soldering Profile

Reflow Soldering Profile For Lead-free SMT Process.




Notes

- 1. We recommend the reflow temperature 245°C. (±5°C) The maximum soldering temperature should be limited to 260°C.
- 2. Don't cause stress to epoxy resin while it is exposed to high temperature.
- 3. Number of reflow process shall be 2 times or less.

Recommended soldering pattern



Tape specifications



Dimensions: Millimetres

Newark.com/multicomp-pro Farnell.com/multicomp-pro Element14.com/multicomp-pro



Storage

- Storage condition before opening the package: 5°C to 30°C, the largest percentage relative humidity is 60% and the storage period is one month. The LEDs beyond the storage period just can be used after dealing as step 4.
- After opening the package, If the LEDs will be Infrared reflow soldering, Oxygen phase reflow soldering or any other welding.
 - a. must be welding within 24 hours.
 - b. the storage humidity must be below 30%.
- If the situation does not satisfy 2a or 2b, the LEDs must be roasted.
- If the LEDs need to be roasted, the roast temperature should be 60°C+/-3 and the roast timeshould be 48 hours.

ESD (Electrostatic Discharge)

Static Electricity or power surge will damage the LED.

The following procedures may decrease the possibility of ESD damage.

- All production machinery and test instruments must be electrically grounded.
- Use a conductive wrist band or anti-electrostatic glove when handling these LEDs.
- Maintain a humidity level of 50% or higher in production areas.
- · Use anti-static packaging for transport and storage.

Cleaning

- Led should be cleaned in a normal temperature and the time for cleaning should be less than 3 minutes; please use
 Alcohol as cleaner ,before you use other cleaning solvent ,please make sure that the cleaner will not make any damage to
 the LED performance or the appearance .
- Ultrasonic Cleaning is also commonly used for cleaning LED, please verify the Ultrasonic cleaning's Power and time to
 avoid any damage to the LED.

Part Number Table

Description	Part Number
Chip LED, Yellow, 120°, 295mcd, 1206	MP007093

Important Notice: This data sheet and its contents (the "Information") belong to the members of the AVNET group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Multicomp Pro is the registered trademark of Premier Farnell Limited 2019.

Newark.com/multicomp-pro Farnell.com/multicomp-pro Element14.com/multicomp-pro

