multicomp PRO



Features

STFE series thin-wall, transparent PTFE sleeving provides see-through protection. This non-shrink sleeving is ideal for use in areas of high temperature for covering wires, connectors, components, etc. It offers protection against corrosion/contaminations. Exceptional chemical resistance and high temperature capability makes it suitable for use in many applications including aircraft, medical and chemically hostile environments.

Material	: PTFE (polytetrafluoroethylene)
Colour	: Transparent (Clear)
Operating Temperature Range	: -67°C to 250°C
Reel Length	: 5m (16.4 feet)

Specifications

Property	Test Method	Values	
Tensile	ASTM D638	2500-4000psi minimum	
Elongation	ASTM D638	225-450% minimum	
Low Temperature Flexibility	AMS-DTL-23053	no cracking	
Coefficient of Friction		0.1	
Electric Strength Volume Resistivity	ASTM D876 ASTM D876	40kVolts/mm 10 ¹⁸ Ω-cm	
Dielectric Constant Water Absorption	ASTM D150 ASTM D570	2.05±0.05 0.01% maximum	
Corrosion (Copper Contact)	AMS-DTL-23053	non-corrosive	
Flammability Fluid Resistance	ASTM D876 AMS-DTL-23053	non-burning no change in properties	
Operating Temperature Range		250°C maximum	

Part Number Table

	AWG	Inside Diameter (mm)		Wall Dimensions (mm)		Part Number	
Description				Thin Wall			
		Min.	Nom.	Max.	Nom.	Tol.	
High Temperature, Chemically Inert, PTFE Sleeving, STFE Series	22	0.66	0.71	0.81	0.25	±0.08	STFE 22 CLR
	20	0.81	0.86	0.97	0.3	±0.08	STFE 20 CLR
	18	1.02	1.07	1.17	0.3	±0.08	STFE 18 CLR
	16	1.29	1.35	1.47	0.3	±0.08	STFE 16 CLR
	15	1.45	1.5	1.65	0.3	±0.08	STFE 15 CLR
	13	1.83	1.93	20.6	0.3	±0.08	STFE 13 CLR
	10	2.59	2.69	2.84	0.3	±0.08	STFE 10 CLR
	9	2.89	3	3.15	0.38	±0.08	STFE 9 CLR

Important Notice : This data sheet and its contents (the "Information") belong to the members of the AVNET group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for white any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Multicomp Pro is the registered trademark of Premier Farnell Limited 2019.

Newark.com/multicomp-pro Farnell.com/multicomp-pro Element14.com/multicomp-pro

