Non-Indicating Silica Gel Granular



RoHS Compliant



Features

- · A narrow pored granular form of amorphous silica free from extraneous matter.
- The irregular granules are a white/translucent colour.
- They remain physically unchanged when dry and when saturated with water.

Typical Properties

Moisture content at 145°C 2% maximum Equilibrium capacity for water vapour at 25°C and given relative humidity (r.h.)	2% maximum	
10% r.h.	> 6½ % w/w (weight for weight)	
20% r.h.	> 12% w/w	
50% r.h.	> 27% w/w	
80% r.h.	> 36% w/w	
BET surface area	600 ~ 800m ² /g	
Pore volume	0.35 ~ 0.45 ml/g	
Average pore diameter	20 ~ 30A	
pH (10% aqueous solution)	Not less than 3.5	
Bulk density	700 ~ 770g/l	
Water soluble sulphates	1.0% maximum	
Water soluble chlorides	0.05% maximum	
Ammonia/ammonium compounds	10mg/kg maximum	
Friability and dust	Not more than 0.5% less than 125 micron	

Newark.com/multicomp-pro Farnell.com/multicomp-pro sg.element14.com/b/multicomp-pro



Non-Indicating Silica Gel Granular



Particle Sizes	Very Fine	0.2 ~ 0.5mm	
	Fine	0.5 ~ 1mm	
	Medium	1 ~ 3mm	
	Coarse	3 ~ 6mm	
Toxicity	Non-toxic		
Storage	Packages should be kept closed and in a dry place		
Shelf-Life	Shelf-life of between one and three years depending on packing type		
Regeneration can be carried out at temperatures between 120°C and 150°C.			

Packaging design may vary.

This material meets the requirements of BS 2540:1991 Granular Desiccant Silica Gel, DIN 55473:2001-2002.

Part Number Table

Description	Nominal Desiccant Content	Part Number
Non-Indicating Silica Gel, Granular, 35mm (W) × 75mm (L)	10g	MC3090081

Important Notice: This data sheet and its contents (the "Information") belong to the members of the AVNET group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Multicomp is the registered trademark of Premier Farnell Limited 2019.

Newark.com/multicomp-pro Farnell.com/multicomp-pro sg.element14.com/b/multicomp-pro

