

CONCRETE REDUCTION

CREATED BY PAN FORM

PAN

DEPTH	WIDTH	CFT/LF
8	10	0.52
8	15	0.80
8	20	1.07
8	30	1.63
10	10	0.64
10	15	0.98
10	20	1.33
10	30	2.03
12	10	0.75
12	15	1.17
12	20	1.58
12	30	2.42
12	40	3.25
12	53	4.33
12	66	5.42
14	10	0.86
14	15	1.34
14	20	1.83
14	30	2.80
14	40	3.78
14	53	5.04
14	66	6.30

PAN

DEPTH	WIDTH	CFT/LF
16	10	0.96
16	15	1.52
16	20	2.07
16	30	3.19
16	40	4.30
16	53	5.74
16	66	7.19
20	10	1.16
20	15	1.85
20	20	2.55
20	30	3.94
20	40	5.32
20	53	7.13
20	66	8.94
24	10	1.33
24	15	2.17
24	20	3.00
24	30	4.67
24	40	6.33
24	53	8.50
24	66	10.67