

Table S2. Primers used to construct Hyg-HA and Hyg-GFP cassettes for MFT

Construct	Sequence (5' to 3')
Hyg-HA	
SK101	GGTCATACCTTCTTAAGTTCCG
SK102	GGAACATCGTAAGGGTATGCCATTTCTTTGCCCTCGGACGAG
SK103	CTCGTCCGAGGGCAAAGGAAATGGCATAACCTTACGATGTTCC
SK104	GCTCGGACTGAGATAGGACG
Hyg-GFP	
hyg-gfp 1	TATTCTACCGAAGCATCGA
hyg-gfp 2	TCCTCGCCCTTGCTCACCATTTCTTTGCCCTCGGACGAGT
hyg-gfp 3	ACTCGTCCGAGGGCAAAGGAAATGGTGAGCAAGGGCGAGGA
hyg-gfp 4	GCATGCTTACTTGTACAGCT