APPENDIX A. Finish Codes

SECTION A. ALUMINUM ALLOYS

CODE	APPLICABLE FINISH
A749	**AMS-C-27725 FUEL TANK COATING, WHITE URETHANE, AND LUSTERLESS GRAY URETHANE** **BARE 2000 AND 7000 SERIES ALUMINUM ALLOYS** A ANODIZE ALL SURFACES PER 111. B APPLY AMS-C-27725 COATING TO SPECIFIED INTERIOR FAYING SURFACES AND SURFACES EXPOSED TO FUEL PER 221. C PRIME ONE COAT REMAINING SURFACES PER 202. D PAINT SPECIFIED SURFACES WITH WHITE URETHANE COATING PER 222 (OR 274). E PAINT INTERIOR NON-FUEL AND NON-WHITE SURFACES WITH LUSTERLESS GRAY URETHANE PER 282 (OR 280). F TOUCH UP AS REQUIRED PER 237, 240, OR 284.
A750	**WHITE URETHANE, LUSTERLESS GRAY URETHANE, AND 16NXXXX FINISH** **BARE 2000 AND 7000 SERIES ALUMINUM ALLOYS** A ANODIZE ALL SURFACES PER 111. B PRIME ONE COAT ALL SURFACES PER 201. C PAINT SPECIFIED INTERIOR SURFACES WITH WHITE URETHANE COATING PER 222 (OR 274). D PAINT NON-WHITE INTERIOR SURFACES WITH LUSTERLESS GRAY URETHANE PER 282 (OR 280). E FINISH EXTERIOR EXPOSED SURFACES AFTER ASSEMBLY PER DRAWING 16N0001. F TOUCH UP AS REQUIRED PER 235, 237, 242, OR 284.
A751	**AMS-C-27725 FUEL TANK COATING, LUSTERLESS BLACK URETHANE, AND 16NXXXX FINISH** **BARE 2000 AND 7000 SERIES ALUMINUM ALLOYS** A ANODIZE ALL SURFACES PER 111. B APPLY AMS-C-27725 COATING TO SPECIFIED INTERIOR FAYING SURFACES AND SURFACES EXPOSED TO FUEL PER 221. C PRIME ONE COAT ON ALL NON-FUEL SURFACES PER 202. D PAINT INTERIOR NON-FUEL AREAS WITH LUSTERLESS BLACK URETHANE PER 283 (OR 281). E FINISH EXTERIOR EXPOSED SURFACES AFTER ASSEMBLY PER DRAWING 16N0001. F TOUCH UP AS REQUIRED PER 235, 240, 242, AND 285.
A752	**WHITE URETHANE, LUSTERLESS GRAY URETHANE, AND 16NXXXX FINISH. CLAD AND 1000, 3000, 5000 & 6000 SERIES ALUMINUM ALLOYS AND ALUMINUM CASTINGS** A CHEM FILM ALL SURFACES PER 105. B PRIME ONE COAT ALL SURFACES PER 201. C PAINT SPECIFIED PRIMED SURFACES WITH LUSTERLESS GRAY URETHANE PER 282 (OR 280). D PAINT SPECIFIED PRIMED SURFACES WITH WHITE URETHANE PER 222 (OR 274). E FINISH EXTERIOR EXPOSED SURFACES AFTER ASSEMBLY PER 16N0001. F TOUCH UP AS REQUIRED PER 235, 237, 242, AND 284.