APPENDIX A. Finish Codes

SECTION A. ALUMINUM ALLOYS

CODE	APPLICABLE FINISH
A857	**WHITE URETHANE, SOLID FILM LUBRICANT AND 16N0001 FINISH-HARD ANODIZE.** **BARE 2000 AND 7000 SERIES ALUMINUM ALLOYS** A HARD ANODIZE SPECIFIED SURFACES PER 115. B ANODIZE REMAINING SURFACES PER 182. C APPLY SOLID FILM LUBE TO HARD ANODIZED SURFACES PER 207. D PRIME REMAINING SURFACES 1 COAT PER 202. E PAINT SPECIFIED SURFACES WITH WHITE URETHANE PER 222. F FINISH EXTERIOR EXPOSED SURFACES AFTER ASSEMBLY PER 16N0001. G TOUCH-UP AS REQUIRED PER 235, 237 AND 362.
A858	**PRIMER, SOLID FILM LUBRICANT AND 16N0001 FINISH-HARD ANODIZE.** **BARE 2000 AND 7000 SERIES ALUMINUM ALLOYS.** A HARD ANODIZE SPECIFIED SURFACES PER 115. B ANODIZE REMAINING SURFACES PER 182. C APPLY SOLID FILM LUBE TO HARD ANODIZED SURFACES PER 207. D PRIME SPECIFIED SURFACES 2 COATS PER 205. E PRIME SPECIFIED SURFACES 1 COAT PER 202. F FINISH EXTERIOR EXPOSED SURFACES AFTER ASSEMBLY PER 16N0001. G TOUCH AS REQUIRED PER 235, 236 AND 362.
A859	**PRIMER AND SOLID FILM LUBRICANT - HARD ANODIZE.** **BARE 2000 AND 7000 SERIES ALUMINUM ALLOYS.** A HARD ANODIZE SPECIFIED SURFACES PER 115. B ANODIZE REMAINING SURFACES PER 182. C APPLY SOLID FILM LUBRICANT TO HARD ANODIZED SURFACES PER 207 D PRIME TWO COATS REMAINING SURFACES PER 205. E TOUCH UP AS REQUIRED PER 236.
A860	**PRIMER, SOLID FILM LUBRICANT AND 16N0005 FINISH - HARD ANODIZE** **BARE 2000 AND 7000 SERIES ALUMINUM ALLOYS** A HARD ANODIZE SPECIFIED SURFACES PER 115. B ANODIZE REMAINING SURFACES PER 182. C APPLY SOLID FILM LUBE TO HARD ANODIZE SURFACES PER 207. D PRIME SPECIFIED SURFACES 2 COATS PER 205. E PRIME REMAINING SURFACES 1 COAT PER 202. F FINISH EXTERIOR EXPOSED SURFACES AFTER ASSEMBLY PER 16N0005. G TOUCH UP AS REQUIRED PER 235, 236 AND 362.
A861	**GRAY URETHANE** **CLAD AND 1000, 3000, 5000, 6000 SERIES ALUMINUM ALLOYS AND ALUMINUM ALLOY CASTINGS** A CHEM FILM ALL SURFACES PER 105. B PRIME SPECIFIED SURFACES WITH ONE COAT OF PRIMER PER 202. C PAINT PRIMED SURFACES WITH TWO COATS OF GRAY URETHANE COATING PER 290. D TOUCH UP AS REQUIRED PER 291.