

HP Indigo (Series 3)

Print setting:	ONE-shot
Substrate type	Glossy or Synthetic
Face Stock	Non white
Back Paper	No
Paper Weight	As per substrate
Thickness	As per substrate
Nul cycles	Maximum / duplex level 3
White Drying (if available)	Medium - High
Transfer Profile	Primer max pressure
Force	Max / 400kg
Blanket Temp	100 - 110°C
Cleaning	500 – 1000 impressions (depending on coverage)
White separations	1 – 2 (all Ecofoil samples have been produced using 1)
Heavy Substrate Mode	Yes

Ideally a new or low usage blanket is required for best print results.
Ideally output to top / proofing tray.

HP Indigo (Series 4)

Print setting:	ONE-shot
Substrate type	Metallized
Gloss level	Glossy
Face Stock	Dark Coloured
Paper Weight	As per substrate
Thickness	As per substrate
Transfer Pressure	650kg
Temperature	110°C
White separations	1 – 2 (all Ecofoil samples have been produced using 1)

Ideally a new or low usage blanket is required for best print results.