

# *Le Naturale*

## WOOD COLLECTION

BY LAB DESIGNS™ | ARCHITECTURAL LAMINATES

VN-700

VN-701

VN-703

VN-704

VN-705

VN-706

VN-707

VN-709

VN-710

VN-711

VN-712

VN-713

The Le Naturale Wood  
Collection of Laminates  
is suitable for vertical applications  
and is a postforming product.  
Thickness : 0.6 (mm)  
Sheet size : 1300 x 2810 (mm)

**LAB DESIGNS™** | ARCHITECTURAL LAMINATES

[www.labdesignlaminates.com](http://www.labdesignlaminates.com)

#### LOCATION

391 Hickory Street  
Mount Airy, North Carolina  
27030  
Phone 336.429.4114  
1.800.524.2757  
Fax 336.429.4098

## Specification Report

# LeNaturelle Wood Laminates

**LeNaturelle** is a product with the appearance and texture of the real wood and presents the following advantages:

- It is Postforming;
- More durable and easier to apply than the real wood Laminates (veneers);
- It does not require sanding or additional finishing as varnish application;
- Shelf life 6 months after production date;
- Are indicated only for vertical application.

## Properties

<i>Property or attribute</i>	<i>Standard Test method</i>	<i>Unit</i>	<i>Specification</i>	<i>Typical Values</i>
<i>Water Absorption 0,6 mm</i>	BS 7332	% %	Weight ≤ 25,0 Thickness ≤ 27,5	<b>13,0</b> <b>16,1</b>
<i>Resistance to dry heat</i>	BS 7332	Rating (not worse than)	4*	<b>5</b>
<i>Dimensional stability at high temperatures</i>	BS 7332	%	MD < 0,90 CD < 1,45	<b>0,33</b> <b>0,84</b>
<i>Resistance to staining*</i>	BS 7332	Groups 1 and 2 Group 3	5* 3*	<b>5</b> <b>5</b>
<i>Formability</i>	BS 7332	Radius (mm)	3/8 (9,6)	<b>1/4 (6,0)</b>

Where:

MD = machine direction

CD = cross direction

\* 5 – No visible Change

\* 3 – Marked Change of gloss and/ or colour.

\* 4 – Slight change of gloss and/ or colour, only visible at certain viewing angles.