# FORLIGHT

by LEDS C4

**INTALITE UK**

*Loving Light!*

**2020**

UP TO 5 YEARS GUARANTEE

FOR LIGHT

| CONTENTS | PAGE |
|---|---|
| Track Fittings | 2 |
| Recessed Fittings | 6 |
| Mix | 20 |
| Surface Mounted Fittings | 24 |
| Outdoor Fittings | 50 |
| Pendant fittings | 94 |
| Terms and Conditons | 100 |

MADE FROM
Material

DIF
Diffuser

ROT
Rotation

TILT
Tilt

MIN
Minimum distance luminare and area

W TOTAL
Total Consumption

LED
LED

240V
Voltage

Driver included

Driver not included

Portable lamp

IP rating

Luminaires should never be covered with any heat insulating material

Beam Angle

Impact resistance

x meters of cable

Recessed box included

Coastal compatibility

Spike included

Class III

Class II

Class III

E27

GU10

AR-111

SMART
Smart Wireless

SMART
Smart Bluetooth

WARM&COOL
Tuneable White

RGB
RGB

Smart LightForLife application (Available Spring)

Available on the App Store

Get it on Google play

# IKO



MADE FROM Aluminium

DIF Polycarbonate

30°

* Compatible with 3 Circuit Track. High luminous efficiency.

W TOTAL 28,2W

LED 25W 2520lm

100-240V 50-60Hz

Class I

ROT 355°

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| | TC-0425-W | White ○ | 105.00 |
| | TC-0425-B | Black ● | 105.00 |

# KEY



MADE FROM Aluminium

* Compatible with 3 Circuit Track.

ES-111 Max.15W

240V 100-240V 50-60Hz

Class I

ROT 355°

TILT 355°

MIN 0,5M

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| | TC-0484-W | White ○ | 80.00 |
| | TC-0484-B | Black ● | 80.00 |

# KEY



MADE FROM Aluminium

* Compatible with 3 Circuit Track.

GU10 Max.75W | 240V 100-240V 50-60Hz | Class I | ROT 355° | TILT 90° | MIN 0,5M

| Variant | Item no. | Colour | | £ |
|---|---|---|---|---|
| | TC-0485-W | White | ○ | 25.00 |
| | TC-0485-B | Black | ● | 25.00 |

# ONYX



MADE FROM Aluminium | DIF Glass | 24°

* Compatible with 3 Circuit Track. High luminous efficiency.

W TOTAL 21W | LED 20W 2000lm | 100-240V 50-60Hz | Class I | ROT 355°

| Variant | Item no. | Colour | | £ |
|---|---|---|---|---|
| 3000ºk | TC-0357-W | White | ○ | 91.00 |
| 3000ºk | TC-0357-B | Black | ● | 91.00 |

# ONYX



MADE FROM Aluminium

DIF Glass

24°

* Compatible with 3 Circuit Track. High luminous efficiency.

W TOTAL 38,5W

LED 35W 4000lm

100-240V 50-60Hz

Class I

ROT 355°

| Variant | Item no. | Colour | | £ |
|---|---|---|---|---|
| 3000ºk | TC-0358-W | White | ○ | 125.00 |
| 3000ºk | TC-0358-B | Black | ● | 125.00 |



# Bala






82

Ø57 0-35mm

MADE FROM Aluminium

DIF Polycarbonate

Mains Dimmable

* Lens for perfect optical control. Suitable for bathrooms and exterior use.

W TOTAL 5,2W

LED 4,5W 510lm

220-240V 50-60Hz

Class II

IP65

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000ºk | TC-0440-W | White | 20.00 |

# Bala






82

Ø57 0-35mm

MADE FROM Aluminium

DIF Polycarbonate

Mains Dimmable

W TOTAL 8,9W

LED 7,6W 850lm

220-240V 50-60Hz

Class II

IP65

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000ºk | TC-0472-W | White | 28.00 |
| 2700ºk | TC-0491-W | White | 28.00 |

# Base



Ø68 0-20mm

MADE FROM Aluminium

60°

W TOTAL 7W

LED 6,1W 820lm

100-240V 50-60Hz

Class II

IP54

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000ºk | TC-0501-W | White | 12.00 |

# EASY






Ø106 0-12mm

MADE FROM Aluminium

DIF Technopolymer

114°

* Ultra-thin design.

W TOTAL 5,6W

LED 4,6W 580lm

100-240V 50-60Hz

Class II

IP23

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000ºk | TC-0146-W | White | 7.00 |
| 3000ºk | TC-0146-S | Grey | 8.00 |
| 4000ºk | TC-0147-W | White | 7.00 |
| 4000ºk | TC-0147-S | Grey | 8.00 |
| 6000ºk | TC-0460-W | White | 7.00 |
| 6000ºk | TC-0460-S | Grey | 8.00 |

# EASY






MADE FROM Aluminium

DIF Technopolymer

114°

* Ultra-thin design.

W TOTAL 12,2W

LED 10W 1150lm

100-240V 50-60Hz

Class II

IP23

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000ºk | TC-0148-W | White | 12.00 |
| 3000ºk | TC-0148-S | Grey | 12.00 |
| 4000ºk | TC-0149-W | White | 12.00 |

# EASY






MADE FROM Aluminium

DIF Technopolymer

114°

* Ultra-thin design.

W TOTAL 22W

LED 19,7W 2160lm

100-240V 50-60Hz

Class II

IP23

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000ºk | TC-0203-W | White | 26.00 |
| 4000ºk | TC-0204-W | White | 26.00 |

# EASY



Ø205 0-12mm

MADE FROM Aluminium

DIF Technopolymer

114°

* Ultra-thin design.

W TOTAL 18,2W

LED 15,5W 1510lm

100-240V 50-60Hz

Class II

IP23

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000ºk | TC-0150-W | White | 16.00 |
| 3000ºk | TC-0150-S | Grey | 16.00 |
| 4000ºk | TC-0151-W | White | 16.00 |

# EASY



Ø205 0-12mm

MADE FROM Aluminium

DIF Technopolymer

SMART

WARM&COOL

114°

* Ultra-thin design.

W TOTAL 18W

LED 15,5W 1675lm

230V 50-60Hz

Class II

IP23

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000ºk - 6000ºk | TC-0494-W | White | 51.00 |

# EASY



107x107 0-12mm

MADE FROM Aluminium

DIF Technopolymer

114°

* Ultra-thin design.

W TOTAL 5,6W

LED 4,6W 580lm

100-240V 50-60Hz

Class II

IP23

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000ºk | TC-0152-W | White ○ | 7.00 |
| 3000ºk | TC-0152-S | Grey ● | 8.00 |
| 4000ºk | TC-0153-W | White ○ | 7.00 |
| 4000ºk | TC-0153-S | Grey ● | 8.00 |
| 6000ºk | TC-0461-W | White ○ | 7.00 |
| 6000ºk | TC-0461-S | Grey ● | 8.00 |

# EASY



205x205 0-12mm

MADE FROM Aluminium

DIF Technopolymer

114°

* Ultra-thin design.

W TOTAL 18,2W

LED 15,5W 1510lm

100-240V 50-60Hz

Class II

IP23

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000ºk | TC-0156-W | White ○ | 16.00 |
| 3000ºk | TC-0156-S | Grey ● | 16.00 |
| 4000ºk | TC-0157-W | White ○ | 16.00 |

# EASY









155x155 0-12mm

MADE FROM Aluminium

DIF Technopolymer

114°

* Ultra-thin design.

W TOTAL 12,2W

LED 10W 1150lm

100-240V 50-60Hz

Class II

IP23

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000ºk | TC-0154-W | White | 12.00 |
| 3000ºk | TC-0154-S | Grey | 12.00 |
| 4000ºk | TC-0155-W | White | 12.00 |

# EASY




285x285 0-12mm



MADE FROM Aluminium

DIF Technopolymer

114°

* Ultra-thin design.

W TOTAL 22W

LED 19,7W 2160lm

100-240V 50-60Hz

Class II

IP23

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000ºk | TC-0212-W | White | 28.00 |
| 4000ºk | TC-0213-W | White | 28.00 |

# EASY






MADE FROM Aluminium | DIF Technopolymer | SMART | WARM&COOL | 114°

* Ultra-thin design.

W TOTAL 18W | LED 15,5W 1675lm | 230V 50-60Hz | Class II | IP23

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000ºk - 6000ºk | TC-0495-W | White | 51.00 |

# Hide



MADE FROM Aluminium | DIF Glass | 136°

* Ideal in shallow voids.

W TOTAL 10,9W | LED 9W 1150lm | 100-240V 50-60Hz | Class II | IP44

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000ºk | TC-0176-W | White | 32.00 |
| 4000ºk | TC-0216-W | White | 32.00 |

# Hide



MADE FROM Aluminium

DIF Glass

136°

* Ideal in shallow voids.

W TOTAL 7,8W

LED 6,5W 890lm

100-240V 50-60Hz

Class II

IP44

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000ºk | TC-0175-W | White | 28.00 |
| 4000ºk | TC-0215-W | White | 28.00 |

# Sound Plus



MADE FROM Aluminium

* Solid aluminum structure. *Excludes lamp.

GU10 Max.50W

240V 100-240V 50-60Hz

Class II

IP23

MIN 0,5M

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| | TC-0134-W | White | 4.00 |

# Sound Plus



MADE FROM Aluminium

* Solid aluminum structure. *Excludes lamp.

GU10 Max.50W | 240V 100-240V 50-60Hz | Class II | IP23 | MIN 0,5M

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| | TC-0135-W | White | 5.00 |

# Square



Substitución directa placas tipo armstrong
Directly replacing armstrong ceiling units

MADE FROM Aluminium | DIF Technopolymer | 114°

* Frame for surface-mounted version, compatible with TC-0170-W, TC-0171-W and TC-0434-W. Compatible with standard T-Bar ceilings.

W TOTAL 40,1W | LED 35,4W 615lm | 100-240V 50-60Hz | Class II

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 4000ºk (4550lm) | TC-0170-W | White | 41.00 |
| 3000ºk (4375lm) | TC-0434-W | White | 41.00 |

# Top



Ø80 0-10mm

MADE FROM Aluminium

DIF Polycarbonate

42°

* Suitable for bathrooms.

W TOTAL 7,8W

LED 6,6W 615lm

Class II

IP54

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000°k | TC-0489-W | White | 30.00 |

# Dorit



Ø120 0-12mm

MADE FROM Aluminium

DIF Glass

60°

* Dimmable version available on request.

W TOTAL 15,7W

LED 14W 1530lm

100-240V 50-60Hz

Class II

IP44

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000°k | TC-0349-W | White | 41.00 |

# Dorit







Ø150 0-12mm

MADE FROM Aluminium | DIF Glass | 60°

W TOTAL 18,7W | LED 17,3W 2300lm | 100-240V 50-60Hz | Class II | IP44

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000°k | TC-0350-W | White | 55.00 |

# Cardan







100x100 0-20mm

MADE FROM Steel

* Compatible with module MIX TC-1700-W, TC-0219. *Excludes lamp.

GU10 Max.50W | 240V 100-240V 50-60Hz | IP23 | ROT 40° | TILT 40° | Class II

MIN 0,2M

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| | TC-1400-W | White | 16.00 |
| | TC-1400-G | Grey | 16.00 |

# Minor



MADE FROM Aluminium

DIF Glass

★ Suitable for bathrooms.

GU10 Max.50W | 240V 100-240V 50-60Hz | IP54 | 0,5M | Class II

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| | TC-1200-W | White | 9.00 |
| | TC-1200-SAT | Chrome Satin | 11.00 |

# Cardan



MADE FROM Steel

★ Compatible with module MIX TC-1700-W, TC-0219. *Excludes lamp.

2xGU10 Max.50W | 240V 100-240V 50-60Hz | IP23 | ROT 40° | TILT 40° | Class II | 0,2M

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| | TC-1401-W | White | 34.00 |

# Cardan



MADE FROM Steel

ES-111 Max.75W | 240V 100-240V 50-60Hz | Class II | IP23 | ROT 40° | TILT 40° | MIN 0,5M

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| | TC-1500-W | White | 23.00 |

# Base



MADE FROM Aluminium | 60°

W TOTAL 7W | LED 6,1W 820lm | 100-240V 50-60Hz | Class II | IP23 | TILT 45°

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000ºk | TC-0502-W | White | 13.00 |

# Cardan



MADE FROM Steel

ES-111 Max.75W

240V 100-240V 50-60Hz

Class II

IP23

ROT 40°

TILT 40°

MIN 0,5M

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| | TC-0172-W | White | 45.00 |

MADE FROM Aluminium

DIF Glass

White

LED

**TC-1700-W** 3000°k £23.00

**TC-0219-W** 4000°k £23.00

SMART

WARM&COOL

**TC-0511-BLA** £49.00

W TOTAL 7W | LED 6W 580lm | 100-240V 50-60Hz | Class III | 36°

W TOTAL 8,4W | LED 6,5W 950lm | 100-240V 50-60Hz | Class II | 36°

FIXED

ROUND ADJUSTABLE

DEEP

VISUAL COMFORT

**TC-1900-W**

£12.00

IP54

Ø81




Ø70 0-20mm

**TC-1901-W**

£18.00

IP23 TILT 20°

Ø95




Ø82 0-20mm

N **TC-0476-W**

£5.00

IP23




Ø75 0-30mm

**TC-0200-W**

£4.00

IP54

Ø80




Ø74 0-25mm

* Not compatible with TC-0305-W and TC-0174-W.

LED

3000°k

**TC-0471-W** 220-240V / 50-60Hz £37.00

**TC-0422-W** 100-240V / 50-60Hz £33.00

W TOTAL 11,8W | LED 10W 1170lm | 100-240V 50-60Hz | Class III | 36°

**TC-0366-W** £4.00

GU10 Max 7W | 240V 100-240V 50-60Hz | Class II

TC-1700-W
TC-0219-W




TC-0422-W
TC-0471-W




TC-0366-W




VISUAL COMFORT ADJUSTABLE

**TC-0303-W**

£9.00

IP23




IP65



**TC-0220-W**

£13.00

IP65




FIRE RATED

**TC-0305-W**

£10.00

IP23 | TILT 60°



MADE FROM Aluminium

DIF Glass

White

TC-1700-W 3000°k £23.00
TC-0219-W 4000°k £23.00

TC-0366-W £4.00

W TOTAL 7W | LED 6W 580lm | 100-240V 50-60HZ | Class II | 36°

GU10 Max 7W | 240V 100-240V 50-60HZ | Class II

TC-0304-W £17.00

TILT 20°

TC-1700-W
TC-0219-W




TC-0366-W




TC-0304-W




* Recessed version available

# Toppi






MADE FROM Aluminium

W TOTAL 5,8W | LED 4,7W 530lm | 100-240V 50-60Hz | Class II

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000ºk | DE-0231-W | White | 46.00 |

# Toppi



MADE FROM Aluminium

W TOTAL 11,5W | LED 9,4W 1100lm | 100-240V 50-60Hz | Class II

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000ºk | DE-0232-W | White | 63.00 |

# Cuadro






MADE FROM Aluminium

DIF Glass

W TOTAL 5,8W

LED 4,5W 300lm

100-240V 50-60Hz

Class II

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000ºk | DE-0424-W | White | 45.00 |

# Olra



MADE FROM Steel

DIF Acrylic

W TOTAL 22,8W

LED 20,3W 2400lm

100-240V 50-60Hz

Class I

IP23

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000ºk | DE-0198-W | White | 56.00 |

# Olra



MADE FROM Steel

DIF Acrylic

SMART

WARM&COOL

W TOTAL 22,8W

LED 20,3W 2400lm

100-240V 50-60Hz

Class I

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000ºk | DE-0513-W | White | 94.00 |

# Romi



MADE FROM Steel

DIF White Cloth

E27 Max 40W

240V 100-240V 50-60Hz

Class I

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| | DE-0381-SAT | Satin | 34.00 |



# Farrow






MADE FROM Steel

DIF Glass

* Solid opal glass diffuser.

2xE27 Max.40W

240V 100-240V 50-60Hz

Class I

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| | DE-0199-W | White | 41.00 |

# Romi



MADE FROM Steel

DIF White Cloth

* LED reader with independent switch.

E27 Max 40W

LED 2,2W 175lm

100-240V 50-60Hz

Class I

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000°k | DE-0382-SAT | Satin | 55.00 |

# Romi



MADE FROM Steel

DIF White Cloth

* Independent switch.

E27 Max 40W

240V 100-240V 50-60Hz

Class II

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| | DE-0383-SAT | Satin | 43.00 |

# Ding



MADE FROM Aluminium

DIF Polycarbonate

* 1 amp maximum load USB Port.

W TOTAL 6,6W

LED 4,8W 520lm

100-240V 50-60Hz

Class II

TILT 360°

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000ºk | DE-0271-W | White | 49.00 |
| 3000ºk | DE-0271-B | Black | 49.00 |

# Ding



MADE FROM Aluminium

DIF Polycarbonate

W TOTAL 6,6W

LED 4,8W 521lm

100-240V 50-60Hz

Class II

TILT 360°

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000ºk | DE-0272-W | White | 63.00 |
| 3000ºk | DE-0272-B | Black | 63.00 |

# Stol



MADE FROM Steel

DIF Polycarbonate

* 1 amp maximum load USB Port.

W TOTAL 5W

LED 4W 400lm

100-240V 50-60Hz

Class II

TILT 360°

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000ºk | DE-0269-S | Grey | 63.00 |

# Sphere



MADE FROM Polycarbonate

DIF Polyethylene

* 1,2 meters charging cable included. Battery duration: 5 hours (100%).
3 steps dimming (3 brightness settings).

W TOTAL 1,5W | LED 1,5W 90lm | Recomended 5V 1A | Portable | Class III | IK10

| Variant | Item no. | Colour | | £ |
|---|---|---|---|---|
| 2700ºk | DE-0490-B | Black | ● | 82.00 |

# Touch



MADE FROM Aluminium

DIF Polycarbonate

* Touch dimmer to adjust brightness and colour temperature. 3 Colour Temperatures
DE-0492-W: Wireless Charger base.

W TOTAL 6,4W | LED 7,2W 770lm | 100-240V 50-60Hz | Class II | TILT 180°

| Variant | Item no. | Colour | | £ |
|---|---|---|---|---|
| 3000ºk + 4300ºk + 6500ºk | DE-0477-W | White | ○ | 65.00 |
| 3000ºk + 4300ºk + 6500ºk | DE-0492-W | White | ○ | 92.00 |

# Clock



MADE FROM Stainless steel

DIF Polycarbonate

* Suitable for bathrooms.

W TOTAL 8W

LED 7,2W 770lm

100-240V 50-60Hz

Class II

IP44

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 4000ºk | PX-0279-SS | Steel | 47.00 |

# Lungo




MADE FROM Steel

DIF Polycarbonate

* Suitable for bathrooms

W TOTAL 9,3W

LED 7,2W 910lm

100-240V 50-60Hz

Class II

IP44

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000ºk | DE-0428-C | Chrome | 78.00 |

# Lungo




MADE FROM Steel

DIF Polycarbonate

* Suitable for bathrooms

W TOTAL 13,3W

LED 11,5W 1365lm

100-240V 50-60Hz

Class II

IP44

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000ºk | DE-0429-C | Chrome | 104.00 |

# Petit



MADE FROM Steel

DIF Glass

* Suitable for bathrooms

W TOTAL 7,1W

LED 5,7W 650lm

100-240V 50-60Hz

Class II

IP44

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000ºk | DE-0430-C | Chrome | 56.00 |

# Petit



MADE FROM Steel

DIF Glass

* Suitable for bathrooms

W TOTAL 7,1W

LED 5,7W 650lm

100-240V 50-60Hz

Class II

IP44

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000°k | DE-0431-C | Chrome | 55.00 |

# Vapor



MADE FROM Steel

DIF Glass

* Suitable for bathrooms

W TOTAL 13,3W

LED 11,5W 1360lm

100-240V 50-60Hz

Class II

IP44

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000°k | DE-0426-C | Chrome | 74.00 |

# Adri




MADE FROM Steel + Polycarbonate

DIF Polycarbonate

W TOTAL 5,1W

LED 4,7W 810lm

100-240V 50-60Hz

Class I

ROT 355°

TILT 90°

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000ºk | DE-0436-W | White | 22.00 |

# Adri




MADE FROM Steel + Polycarbonate

DIF Polycarbonate

W TOTAL 10,2W

LED 9,4W 1620lm

100-240V 50-60Hz

Class I

ROT 355°

TILT 90°

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000ºk | DE-0437-W | White | 44.00 |



# Adri




MADE FROM Steel + Polycarbonate

DIF Polycarbonate

W TOTAL 15,3W

LED 14,1W 2430lm

100-240V 50-60Hz

Class I

ROT 355°

TILT 90°

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000°k | DE-0438-W | White ○ | 57.00 |

# Keeper




MADE FROM Steel

GU10 Max.7W

240V 100-240V 50-60Hz

Class I

ROT 350°

TILT 90°

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| | DE-0479-W | White ○ | 9.00 |
| | DE-0479-B | Black ● | 10.00 |

# Keeper




MADE FROM Steel

* *Excludes lamps.

2xGU10 2xMax.7W | 240V 100-240V 50-60Hz | Class I | ROT 350° | TILT 90°

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| | DE-0480-W | White ○ | 20.00 |
| | DE-0480-B | Black ● | 21.00 |

# Keeper




MADE FROM Steel

* *Excludes lamps.

3xGU10 3xMax.7W | 240V 100-240V 50-60Hz | Class I | ROT 350° | TILT 90°

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| | DE-0481-W | White ○ | 31.00 |
| | DE-0481-B | Black ● | 31.00 |

## Safran



MADE FROM Steel

* *Excludes lamp.

GU10 Max.7W | 240V 100-240V 50-60Hz | Class I | ROT 350° | TILT 90°

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| | DE-0225-M | Brown | 11.00 |

## Safran




MADE FROM Steel

* *Excludes lamps.

2xGU10 2xMax.7W | 240V 100-240V 50-60Hz | Class I | ROT 350° | TILT 90°

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| | DE-0226-M | Brown | 24.00 |

# Safran




MADE FROM Steel

* *Excludes lamps.

3xGU10 3xMax.7W | 240V 100-240V 50-60Hz | Class I | ROT 350° | TILT 90°

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| | DE-0227-M | Brown | 35.00 |

# Easy Surface






MADE FROM Aluminium | DIF Technopolymer | 114°

W TOTAL 12,2W | LED 10W 1150lm | 100-240V 50-60Hz | Class II

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000ºk | TC-0160-W | White | 15.00 |
| 4000ºk | TC-0161-W | White | 15.00 |



# Easy Surface



MADE FROM Aluminium

DIF Technopolymer

114°

W TOTAL 5,6W

LED 4,6W 580lm

100-240V 50-60Hz

Class II

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000ºk | TC-0158-W | White | 10.00 |
| 4000ºk | TC-0159-W | White | 10.00 |
| 6000ºk | TC-0462-W | White | 10.00 |

# Easy Surface






MADE FROM Aluminium

DIF Technopolymer

114°

W TOTAL 24W

LED 22W 2700lm

100-240V 50-60Hz

Class II

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000ºk | TC-0162-W | White | 19.00 |
| 4000ºk | TC-0163-W | White | 19.00 |

# Easy Surface






MADE FROM Aluminium | DIF Technopolymer | 114°

W TOTAL 29,3W | LED 26,4W 3375lm | 100-240V 50-60Hz | Class II

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000ºk | TC-0411-W | White | 55.00 |
| 4000ºk | TC-0412-W | White | 55.00 |

# Easy Surface






MADE FROM Aluminium | DIF Technopolymer | 114°

W TOTAL 24W | LED 22W 2700lm | 100-240V 50-60Hz | Class II

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000ºk | TC-0168-W | White | 19.00 |
| 4000ºk | TC-0169-W | White | 19.00 |

# Easy Surface






MADE FROM Aluminium

DIF Technopolymer

114°

W TOTAL 5,6W

LED 4,6W 580lm

100-240V 50-60Hz

Class II

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000ºk | TC-0164-W | White | 10.00 |
| 4000ºk | TC-0165-W | White | 10.00 |
| 6000ºk | TC-0463-W | White | 10.00 |

# Easy Surface






MADE FROM Aluminium

DIF Technopolymer

114°

W TOTAL 29,3W

LED 26,4W 3375lm

100-240V 50-60Hz

Class II

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000ºk | TC-0413-W | White | 52.00 |
| 4000ºk | TC-0414-W | White | 52.00 |

# Easy Surface






MADE FROM Aluminium

DIF Technopolymer

114°

W TOTAL 12,2W

LED 10W 1150lm

100-240V 50-60Hz

Class II

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000ºk | TC-0166-W | White | 15.00 |
| 4000ºk | TC-0167-W | White | 15.00 |

# Tub



MADE FROM Aluminium

DIF Glass

60°

W TOTAL 15,7W

LED 12,6W 1140lm

100-240V 50-60Hz

Class II

IP23

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 4000ºk | TC-0218-W | White | 34.00 |



# Tub



MADE FROM Aluminium | DIF Glass | 60°

W TOTAL 7,1W | LED 5,8W 530lm | 100-240V 50-60Hz | Class II | IP23

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000ºk | TC-0131-W | White | 30.00 |
| 4000ºk | TC-0217-W | White | 30.00 |

# Rhino



MADE FROM Polycarbonate | DIF Polycarbonate

LED 9W 1050lm | 220-240V 50-60Hz | Class II | IP65 | IK10 | Coastal Use

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 4000ºk | PX-0097-ANT | Anthracite | 40.00 |

# Thin



MADE FROM Aluminium

W TOTAL 7,8W | LED 6,4W 860lm | 220-240V 50-60Hz | Class II

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000ºk | DE-0509-W | White ○ | 50.00 |
| 3000ºk | DE-0509-B | Black ● | 50.00 |

# Fox



MADE FROM Aluminium | DIF Polycarbonate | 36°

W TOTAL 7,9W | LED 7,9W 670lm | 100-240V 50-60Hz | Class II | ROT 340° | TILT 90°

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000ºk | TC-0498-W | White ○ | 61.00 |

# New Flash



MADE FROM Polycarbonate

DIF Polycarbonate

W TOTAL 15,8W

LED 13,4W 1500lm

100-240V 50-60Hz

Class II

IP65

IK10

| Variant | Item no. | Colour | | £ |
|---|---|---|---|---|
| 3000°k | PX-0507-W | White | ○ | 16.00 |
| 3000°k | PX-0507-B | Black | ● | 16.00 |

# Fox



Ø68 0-18mm

MADE FROM Aluminium

DIF Polycarbonate

36°

W TOTAL 7,9W

LED 7,9W 670lm

100-240V 50-60Hz

Class II

ROT 340°

TILT 90°

| Variant | Item no. | Colour | | £ |
|---|---|---|---|---|
| 3000°k | TC-0499-W | White | ○ | 61.00 |

# Siluet



MADE FROM Stainless steel

DIF Polycarbonate

E27 Max.60W

240V 100-240V 50-60Hz

Class II

IP55

IK10

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| | PX-0246-SS | Steel | 27.00 |

# Crobat



MADE FROM Polycarbonate

DIF Polycarbonate

* With independent switch.

W TOTAL 4,3W

LED 3,8W 400lm

100-240V 50-60Hz

Class II

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000ºk | DE-0268-W | White | 63.00 |
| 3000ºk | DE-0268-B | Black | 63.00 |

# Bas



MADE FROM Steel

DIF Glass

* With independent switch.

GU10 Max.7W

240V 100-240V 50-60Hz

Class I

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| | DE-0442-SAT | Satin | 24.00 |

# Keop






MADE FROM Aluminium

W TOTAL 5,8W

LED 4,6W 420lm

100-240V 50-60Hz

Class I

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000°k | DE-0229-W | White | 44.00 |

# Vitro



MADE FROM Steel

28°

* Spot in satin nickel finish. Visual comfort lens.

W TOTAL 6W | LED 5W 700lm | 100-240V 50-60Hz | Class I | ROT 350° | TILT 90°

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000ºk | DE-0194-CRO | Satin Chrome | 25.00 |

# Vitro




MADE FROM Steel

28°

* Spot in satin nickel finish. Visual comfort lens.

W TOTAL 15W | LED 10W 2100lm | 100-240V 50-60Hz | Class I | ROT 350° | TILT 90°

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000ºk | DE-0196-CRO | Satin Chrome | 68.00 |

# Vitro




MADE FROM Steel

28°

* Spot in satin nickel finish. Visual comfort lens.

W TOTAL 12W

LED 10W 1400lm

100-240V 50-60Hz

Class I

ROT 350°

TILT 90°

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000°k | DE-0195-CRO | Satin Chrome | 48.00 |

# Tamesis



MADE FROM Aluminium

DIF Glass

* 3 Colour faces included (Black, White and Grey)

E27 Max.60W | 240V 100-240V 50-60Hz | Class I | IP44 | IK08 | Included

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| | PX-0047 | White | 21.00 |

# Tamesis



MADE FROM Aluminium + Stainless steel

DIF Glass

* PX-0465-SS: Includes grille accessory for the diffuser.

E27 Max.60W | 240V 100-240V 50-60Hz | Class I | IP44 | IK08 | Included

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| | PX-0465-SS | Steel | 33.00 |



# Ford



MADE FROM Polycarbonate + ABS

DIF Polycarbonate

E27 Max.11W

240V 100-240V 50-60Hz

Class II

IP65

IK10

Coastal Use

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| | PX-0142-S | Grey | 19.00 |
| | PX-0142-B | Black | 19.00 |

# Ford






MADE FROM Polycarbonate + ABS

DIF Polycarbonate

2xE27 2xMax.20W

240V 100-240V 50-60Hz

Class II

IP65

IK10

Coastal Use

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| | PX-1801-S | Grey | 28.00 |

# Orion



MADE FROM Aluminium

DIF Glass

W TOTAL 7,3W 610lm

LED 5,6W 610lm

100-240V 50-60Hz

Class I

IP54

IK07

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000ºk | PX-0378-S | Grey | 48.00 |
| 3000ºk | PX-0378-B | Black | 48.00 |

# Orion



MADE FROM Aluminium

DIF Glass

W TOTAL 11,3W

LED 11,3W 1220lm

100-240V 50-60Hz

Class I

IP54

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000ºk | PX-0379-S | Grey | 69.00 |
| 3000ºk | PX-0379-B | Black | 69.00 |

# Orion



MADE FROM Aluminium

DIF Glass

W TOTAL 7,3W

LED 5,6W 610lm

100-240V 50-60Hz

Class I

IP54

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000°k | PX-0380-S | Grey | 42.00 |
| 3000°k | PX-0380-B | Black | 42.00 |

# Selene



MADE FROM Aluminium

DIF Glass+ PMMA

* Includes optional diffuser in blue.

GU10 Max.35W

240V 100-240V 50-60Hz

Class I

IP54

MIN 0,5M

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| | PX-0464-S | Grey | 25.00 |

# Avenue



MADE FROM Steel

DIF Glass

E27 Max.60W

240V 100-240V 50-60Hz

Class I

IP44

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| | PX-0252-B | Black ● | 55.00 |

# Rhiana



MADE FROM Aluminium

DIF Opal polycarbonate

* Height adjustable up to 2500mm. Suitable for use on pergolas.

E27 Max.18W

240V 100-240V 50-60Hz

Class II

IP44

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| | PX-0110-ANT | Anthracite ● | 75.00 |

# Ara



MADE FROM Polycarbonate + ABS

DIF Polycarbonate

E27 Max.21W

240V 100-240V 50-60Hz

Class II

IP65

IK06

Coastal Use

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| | PX-0375-ANT | Anthracite | 33.00 |
| | PX-0375-W | White | 33.00 |

# Cube



MADE FROM Steel

DIF Glass

2xE27 Par 30 2xMax.75W

240V 100-240V 50-60Hz

Class I

IP44

IK04

MIN 0,5M

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| | PX-0127-S | Grey | 34.00 |
| | PX-0127-B | Black | 34.00 |

# Cube



MADE FROM Steel

DIF Glass

GU10 2xMax35W

240V 100-240V 50-60Hz

Class I

IP44

IK03

MIN 0,5M

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| | PX-0056-S | Grey | 28.00 |
| | PX-0056-B | Black | 28.00 |

# Karen



MADE FROM Steel

DIF Glass

* To light only downward.

GU10 Max.35W

240V 100-240V 50-60Hz

Class I

IP44

IK03

MIN 0,2M

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| | PX-1900-W | White | 12.00 |
| | PX-1900-B | Black | 12.00 |
| | PX-1900-S | Grey | 12.00 |



# Elix



MADE FROM Stainless steel

DIF Glass

W TOTAL 7,8W

LED 6,2W 600lm

100-240V 50-60Hz

Class I

IP44

IK04

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 4000ºk | PX-0251-SS | Steel | 45.00 |

# Karen






MADE FROM Steel

DIF Glass

* To light only downward.

E27 Max.60W

240V 100-240V 50-60Hz

Class I

IP44

IK03

MIN 0,5M

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| | PX-1901-W | White | 18.00 |
| | PX-1901-B | Black | 18.00 |
| | PX-1901-S | Grey | 18.00 |

# Kapa



MADE FROM Aluminium

DIF Opal Polycarbonate

* Easily replaceable LED module.

W TOTAL 10,3W | LED 8,7W 945lm | 220-240V 50-60Hz | Class I | IP54 | IK10

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000ºk | PX-0468-W | White | 25.00 |
| 3000ºk | PX-0468-ANT | Anthracite | 25.00 |

# Kapa



MADE FROM Aluminium

DIF Opal Polycarbonate

* Easily replaceable LED module.

W TOTAL 10,3W | LED 8,7W 945lm | 220-240V 50-60Hz | Class I | IP54 | IK10

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 4000ºk | PX-0525-W | White | 25.00 |
| 4000ºk | PX-0525-ANT | Anthracite | 25.00 |





# Loyd






MADE FROM Aluminium

DIF Glass

W TOTAL 3,4W

LED 2,1W 180lm

100-240V 50-60Hz

Class I

IP54

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000°k | PX-0395-S | Grey | 25.00 |
| 3000°k | PX-0395-B | Black | 25.00 |

# Loyd



MADE FROM Aluminium

DIF Glass

W TOTAL 5,9W

LED 4,1W 360lm

100-240V 50-60Hz

Class I

IP54

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000°k | PX-0396-S | Grey | 32.00 |
| 3000°k | PX-0396-B | Black | 32.00 |

# Noa



MADE FROM Aluminium

DIF Polycarbonate

W TOTAL 6,3W

LED 5W 480lm

100-240V 50-60Hz

Class I

IP44

IK09

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000ºk | PX-0276-W | White | 34.00 |
| 3000ºk | PX-0276-S | Grey | 34.00 |

# Serenate




MADE FROM Aluminium

DIF Polycarbonate

W TOTAL 8,5W

LED 7,6W 1000lm

100-240V 50-60Hz

Class I

IP44

IK10

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| | PX-0254-B | Black | 49.00 |



# Rex






* Easily adjustable light effect.

MADE FROM Aluminium

DIF Glass

W TOTAL 6,6W

LED 5,2W 575lm

100-240V 50-60Hz

Class I

IP54

IK08

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000°k | PX-0432-W | White | 50.00 |
| 3000°k | PX-0432-ANT | Anthracite | 50.00 |

# Rex






* Easily adjustable light effect.

MADE FROM Aluminium

DIF Glass

W TOTAL 6,6W

LED 5,2W 575lm

100-240V 50-60Hz

Class I

IP54

IK08

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 4000°k | PX-0526-W | White | 50.00 |
| 4000°k | PX-0526-ANT | Anthracite | 50.00 |

# Solar 350



MADE FROM Polycarbonate

DIF Polycarbonate

SOLAR

* It includes twilight and motion sensor. Start up duration is 30 seconds. Up to 80 actions per night with fully charged battery. Solar lighting with battery. Easy Installation, no cables.

LED 4W 320lm

3.7V 1200mAh

Class III

IP44

IK03

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 6000ºk | PX-0104-B | Black | 38.00 |

# Mandela



MADE FROM Aluminium

DIF Polycarbonate

E27 Max.23W

240V 100-240V 50-60Hz

Class I

IP44

IK08

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| | PX-0087-ANT | Anthracite | 71.00 |

# Mandela



MADE FROM Aluminium

DIF Polycarbonate

E27 Max.23W

240V 100-240V 50-60Hz

Class I

IP44

IK08

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| | PX-0086-ANT | Anthracite | 57.00 |

# Mush



MADE FROM Aluminium

DIF Polycarbonate

* ON/OFF touch switch. Battery duration: 6,5h 100%, 15h 40% and 80h 10%. Charger included. 3 step dimming (3 brightness settings).

W TOTAL 2W

LED 2W 200lm

5Vc 1000 mA *USB type C

Class III

Portable

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000ºk | PX-0528-W | White | 112.00 |

# Box






MADE FROM Cement

DIF Glass

* 100% cement finish.

W TOTAL 4W

LED 4W 380lm

220-240V 50-60Hz

Class II

IP65

IK10

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 4000ºk | PX-0527-CEM | Cement | 79.00 |

# Mayor



MADE FROM Aluminium

DIF Glass

E27 Max.60W

240V 100-240V 50-60Hz

Class I

IP44

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| | PX-0005-S | Grey | 24.00 |
| | PX-0005-ANT | Anthracite | 24.00 |

# Slim



MADE FROM Aluminium

DIF Glass

* Ultra thin design, especially recommended for balconies or corridors to eliminate human collision.

W TOTAL 5W | LED 3,9W 320lm | 100-240V 50-60Hz | Class I | IP54

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000ºk | PX-0433-W | White | 40.00 |
| 3000ºk | PX-0433-ANT | Anthracite | 40.00 |

# Magnet



MADE FROM Stainless / Aluminium

DIF Opal Polycarbonate

* Adjustable, removable head due to its magnetic fixing system.

W TOTAL 1,5W | LED 1,5W 280lm | 100-240V 50-60Hz | Portable | Class III

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000ºk | PX-0529-B | Black | 83.00 |

# Sirena



MADE FROM Aluminium

DIF Polycarbonate

E27 Max.60W

240V 100-240V 50-60Hz

Class I

IP44

IK06

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| | PX-0063-RB | Rust Brown | 34.00 |

# Alfil



MADE FROM Aluminium

DIF Glass

E27 Max.23W

240V 100-240V 50-60Hz

Class I

IP44

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| | PX-0033-ANT | Anthracite | 76.00 |





# Alfil




MADE FROM Aluminium

DIF Glass

E27 Max.23W

240V 100-240V 50-60Hz

Class I

IP44

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| | PX-0034-ANT | Anthracite | 59.00 |

# Tempo



MADE FROM Aluminium

DIF Acrylic

W TOTAL 18,8W

LED 16,2W 1880lm

100-240V 50-60Hz

Class II

IP44

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000ºk | DE-0313-ALU | Aluminium | 62.00 |

# Moon



MADE FROM ABS

DIF Polyethylene

E27 Max.23W

240V 100-240V 50-60Hz

Class II

IP65

IK10

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| | PX-0478-W | Light Grey | 52.00 |

# Litus



MADE FROM Stainless steel

DIF Polycarbonate

* It includes twilight and motion sensor. Start up duration is from 10 seconds to 4 minutes. It's also possible to adjust the sensibility, from 10 lux to 3000 lux. It detects movement from 6m to 12m and the detection angle is 120 degrees.

W TOTAL 6,6W

LED 5,3W 500lm

100-240V 50-60Hz

Class I

IP44

IK05

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 4000ºk | PX-0278-SS | Steel | 57.00 |



# Litus



MADE FROM Stainless steel

DIF Polycarbonate

W TOTAL 6,6W

LED 5,3W 500lm

100-240V 50-60Hz

Class I

IP44

IK05

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 4000ºk | PX-0277-SS | Steel | 38.00 |

# Arrow



MADE FROM Aluminium

DIF Polycarbonate

W TOTAL 6,6W

LED 5W 640lm

100-240V 50-60Hz

Class I

IP65

IK09

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000ºk | PX-0139-B | Black | 72.00 |

# Dual



MADE FROM Polycarbonate + ABS | DIF Polycarbonate matt | SMART | RGB | WARM&COOL

W TOTAL 4W | LED 4W 410lm | 220-240V 50-60Hz | Class II | IP65

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 2700ºk - 6000ºk | PX-0514-ANT | Anthracite ● | 56.00 |

# Grove



MADE FROM Polycarbonate + ABS | DIF Polycarbonate

* High pressure water resistant. 3 Colour covers included. (Black, White and Grey)

W TOTAL 1,6W | LED 1,4W 200lm | 100-240V 50-60Hz | Class II | IP65 | IK10 | Coastal Use

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 4000ºk | PX-0126-B | Black ● | 18.00 |

# Zip



MADE FROM Aluminium | DIF Opal Polycarbonate | SMART | RGB | WARM&COOL

W TOTAL 3W | LED 3W 310lm | 220-240V 50-60Hz | Class II | IP54 | IK10

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 2700ºk - 6000ºk | PX-0515-ANT | Anthracite | 92.00 |

# Grove




MADE FROM Polycarbonate + ABS | DIF Polycarbonate

* High pressure water resistant. 3 Colour covers included. (Black, White and Grey)

W TOTAL 3,7W | LED 3,1W 340lm | 100-240V 50-60Hz | Class II | IP65 | IK10 | Coastal Use

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 4000ºk | PX-0095-S | Grey | 32.00 |

# Grove



MADE FROM Polycarbonate + ABS

DIF Polycarbonate

* High pressure water resistant. 3 Colour covers included. (Black, White and Grey)

W TOTAL 2,9W | LED 2,5W 350lm | 100-240V 50-60Hz | Class II | IP65 | IK10 | Coastal Use

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 4000ºk | PX-0130 | Black ● | 24.00 |

# Jumbo



MADE FROM Polypropylene

DIF Technopolymer

95°

W TOTAL 3,2W | LED 2,4W 280lm | 100-240V 50-60Hz | Class II | IP54 | IK08 | Coastal Use

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000ºk | PX-0124-B | Black ● | 30.00 |

# Ringo



MADE FROM Stainless steel | DIF Glass | 30°

W TOTAL 3,5W | LED 2,7W | 100-240V 50-60Hz | Class I | IP65 IP67 | IK10

0,25m Lead | Mounting pot Included

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000ºk (370lm) | PX-0128-SS | Steel | 38.00 |
| 4000ºk (420lm) | PX-0123-SS | Steel | 38.00 |

# Ringo



MADE FROM Stainless steel | DIF Glass | 20°

W TOTAL 10,1W | LED 9,1W 1280lm | 100-240V 50-60Hz | Class I | IP65 IP67 | IK04

0,3m Lead | Mounting pot Included

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000ºk | PX-0355-SS | Steel | 109.00 |



# Ringo



MADE FROM Stainless steel

DIF Glass

GU10 Max.50W | 240V 100-240V 50-60Hz | Class I | IP65 IP67 | IK10 | 0,5M | Mounting pot Included

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| | PX-1000-SS | Steel | 28.00 |

# Ringo



MADE FROM Stainless steel

DIF Glass

* Maximum light efficiency thanks to the included reflector.
Compatible with Par-30 and Par-38 light bulbs.

E27 Max.60W | 240V 100-240V 50-60Hz | Class I | IP65 IP67 | IK10 | 0,3m Lead | Mounting pot Included

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| | PX-0354-SS | Steel | 85.00 |

# Tidian



MADE FROM Technopolymer

DIF Glass

* Ideal to install on soft surfaces (soil, grass) that do not require embedding box.

GU10 Max.50W | 240V 100-240V 50-60Hz | Class I | IP65 IP67 | Coastal Use | IK10 | MIN 0,5M

| Variant | Item no. | Colour | | £ |
|---|---|---|---|---|
| | PX-1100-B | Black | ● | 13.00 |

# Tidian



MADE FROM Technopolymer

DIF Glass

* Ideal to install on soft surfaces (soil, grass) that do not require embedding box.

E27 Par 38 Max.60W | 240V 100-240V 50-60Hz | Class I | IP65 IP67 | Coastal Use | IK10 | MIN 0,5M

| Variant | Item no. | Colour | | £ |
|---|---|---|---|---|
| | PX-1200-B | Black | ● | 48.00 |

# Face






MADE FROM Aluminium

DIF Glass

W TOTAL 3,3W

LED 2,5W 1280lm

100-240V 50-60Hz

Class I

IP65

IK10

Back Box Included

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000ºk (340lm) | PX-0284-S | Grey | 34.00 |
| 4000ºk (370lm) | PX-0285-S | Grey | 34.00 |

# Stair



MADE FROM Stainless steel

DIF Polycarbonate

* Anti-glare diffuser

W TOTAL 1,3W

LED 1W 150lm

100-240V 50-60Hz

Class II

IP54

IK10

0,25m Lead

Back Box Included

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000ºk | PX-0122-SS | Steel | 17.00 |

# Advance



MADE FROM Aluminium | DIF Glass | 115°x 111°

* High pressure water resistant.

W TOTAL 9,4W | LED 8,1W 940lm | 100-240V 50-60Hz | Class I | IP65 | IK08

0,35m Lead | ROT 180°

| Variant | Item no. | Colour | | £ |
|---|---|---|---|---|
| 3000ºk | PX-0113-B | Black | ● | 25.00 |
| 4000ºk | PX-0362-B | Black | ● | 25.00 |

# Advance



MADE FROM Aluminium | DIF Glass | 115°x 111°

* High pressure water resistant.

W TOTAL 32,2W | LED 27W 3100lm | 100-240V 50-60Hz | Class I | IP65 | IK07

0,35m Lead | ROT 180°

| Variant | Item no. | Colour | | £ |
|---|---|---|---|---|
| 3000ºk | PX-0114-B | Black | ● | 61.00 |

# Advance Green



MADE FROM Aluminium

DIF Glass

★ Ideal for illuminating gardens with green light. High pressure water resistant.

W TOTAL 32,8W

LED 30W 1550lm Green

100-240V 50-60Hz

Class I

IP65

IK07

ROT 180°

0,25m Lead

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| | PX-0115-B | Black ● | 81.00 |

# April



MADE FROM Aluminium

DIF Polycarbonate

★ Easily adjustable light effect

W TOTAL 13,9W

LED 11W 1135lm

100-240V 50-60Hz

Class I

IP54

IK10

ROT 90°

Coastal Use

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000ºk | PX-0470-ANT | Anthracite ● | 100.00 |

# Minimal



MADE FROM Aluminium | DIF Glass | 68°

* It includes cable 30 cm.

W TOTAL 6,8W | LED 5,7W 680lm | 100-240V 50-60Hz | Class I | IP65 | IK10

ROT 180° | 0,3m Lead | Mounting spike Included

| Variant | Item no. | Colour | | £ |
|---|---|---|---|---|
| 3000ºk | PX-0144-B | Black | ● | 26.00 |
| 4000ºk | PX-0361-B | Black | ● | 26.00 |

# Minimal Green



MADE FROM Aluminium | DIF Glass | 38°

* Ideal for illuminating gardens with green light. High pressure water resistant.

W TOTAL 7,4W | LED 6W 420lm Green | 100-240V 50-60Hz | Class II | IP65 | IK08

ROT 150° | 0,25m Lead | Mounting spike Included

| Variant | Item no. | Colour | | £ |
|---|---|---|---|---|
| Green | PX-0111-B | Black | ● | 34.00 |

# Neo



MADE FROM Polycarbonate + ABS

DIF Polycarbonate

W TOTAL 6W

LED 4,5W 500lm

100-240V 50-60Hz

Class I

IP65

Coastal Use

ROT 90°

Mounting spike Included

| Variant | Item no. | Colour | | £ |
|---|---|---|---|---|
| 3000ºk | PX-0374-B | Black | ● | 31.00 |

# Neo



MADE FROM Polycarbonate + ABS

DIF Polycarbonate

SMART

RGB

WARM&COOL

W TOTAL 4W

LED 4W 410lm

220-240V 50-60Hz

Class II

IP65

IK10

Coastal Use

ROT 90°

Mounting spike Included

| Variant | Item no. | Colour | | £ |
|---|---|---|---|---|
| 2700ºk - 6000ºk | PX-0516-B | Black | ● | 50.00 |

# Tidian



MADE FROM Polycarbonate + ABS

DIF Polycarbonate

60°

* High pressure water resistant.

GU10 Max.35W

240V 100-240V 50-60Hz

Class II

IP65

Coastal Use

IK07

ROT 90°

MIN 0,2M

Mounting spike Included

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| | PX-0214-B | Black ● | 17.00 |

# Post



MADE FROM Aluminium

DIF Glass

* High pressure water resistant. Without cable.

GU10 Max.50W

240V 100-240V 50-60Hz

Class I

IP65

IK05

MIN 0,2M

Mounting spike Included

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| | PX-1400-B | Black ● | 18.00 |
| | PX-1400-W | White ○ | 18.00 |
| | PX-1400-S | Grey ● | 18.00 |





# Propper




MADE FROM Polycarbonate

DIF Polycarbonate

* Synthetic clips to prevent rusting + 2 cable grips to facilitate serial installations.
High pressure water resistant.

W TOTAL 17,7W | LED 15,6W 1750lm | 100-240V 50-60Hz | Class II | IP65 | IK10 | Coastal Use

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 4000ºk | PX-0145-S | Grey | 35.00 |

# Propper




MADE FROM Polycarbonate

DIF Polycarbonate

* Synthetic clips to prevent rusting + 2 cable grips to facilitate serial installations.
High pressure water resistant.

W TOTAL 39W | LED 35,6W 3550lm | 100-240V 50-60Hz | Class II | IP65 | IK10 | Coastal Use

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 4000ºk | PX-0221-S | Grey | 55.00 |

# Propper




MADE FROM Polycarbonate

DIF Polycarbonate

* Synthetic clips to prevent rusting + 2 cable grips to facilitate serial installations.
High pressure water resistant.

W TOTAL 56,7W | LED 54W 5500lm | 100-240V 50-60Hz | Class II | IP65 | IK10 | Coastal Use

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 4000ºk | PX-0222-S | Grey | 81.00 |

# Ara






MADE FROM Polycarbonate + ABS

DIF Polycarbonate

W TOTAL 9,3W | LED 7,2W 820lm | 100-240V 50-60Hz | Class II | IP65 | IK06 | Coastal Use

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000ºk | PX-0376-ANT | Anthracite | 40.00 |
| 3000ºk | PX-0376-W | White | 40.00 |

# Rhino



MADE FROM Polycarbonate

DIF Polycarbonate

* High pressure water resistant.

LED 8W 900lm

220-240V 50-60Hz

Class II

IP65

IK10

Coastal Use

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 4000ºk | PX-0096-ANT | Anthracite | 38.00 |

# Grove



MADE FROM Polycarbonate + ABS

DIF Polycarbonate

* High pressure water resistant. 3 Colour covers included. (Black, White and Grey)

W TOTAL 3,1W

LED 2,6W 300lm

100-240V 50-60Hz

Class II

IP65

IK10

Coastal Use

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 4000ºk | PX-0439-B | Black | 27.00 |

# Jumbo



MADE FROM Polycarbonate | DIF Technopolymer | 95°

W TOTAL 2,4W | LED 1,8W 160lm | 100-240V 50-60Hz | Class II | IP54 | IK08 | Coastal Use

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000ºk | PX-0125-B | Black ● | 17.00 |

# Samper






MADE FROM Polycarbonate + ABS | DIF Polycarbonate

* High pressure water resistant.

W TOTAL 12W | LED 10,5W 1100lm | 100-240V 50-60Hz | Class II | IP65 | IK08 | Coastal Use

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000ºk | PX-0353-S | Grey ● | 49.00 |
| 3000ºk | PX-0353-B | Black ● | 49.00 |

# Lord



MADE FROM Stainless steel

DIF Glass

* *Excludes lamp.

GU10 50W | 240V 100-240V 50-60Hz | Class I | IP54 | IK05 | MIN 0,2M | ROT 90°

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| | PX-0273-SS | Steel | 32.00 |

# yika



MADE FROM Polycarbonate + ABS

DIF Polycarbonate

W TOTAL 7,9W | LED 6,3W 690lm | 100-240V 50-60Hz | Class II | IP44 | IK08 | Coastal Use

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000ºk | PX-0486-B | Black | 28.00 |

# yika



MADE FROM Polycarbonate + ABS

DIF Polycarbonate

W TOTAL 7,9W | LED 6,3W 690lm | 100-240V 50-60Hz | Class II | IP44 | IK08 | Coastal Use

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000ºk | PX-0487-B | Black ● | 58.00 |

# Wilow



MADE FROM Aluminium

DIF Glass

W TOTAL 8,8W | LED 6,9W 600lm | 100-240V 50-60Hz | Class I | IP54 | IK10 | Coastal Use

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000ºk | PX-0397-S | Grey ● | 53.00 |
| 3000ºk | PX-0397-B | Black ● | 53.00 |

# Night



MADE FROM Aluminium

DIF Polycarbonate

* Battery duration: 9 hours. Charger included. ON/OFF touch switch.

W TOTAL 6,5W | LED 1,3W 280lm | 100-240V 50-60Hz | Class II | IP54 | IK10 | Portable

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000ºk | DE-0474-W | White | 103.00 |

# Area



MADE FROM Polycarbonate + ABS

DIF Polycarbonate

* High pressure water resistant.

E27 Max.23W | 240V 100-240V 50-60Hz | Class II | IP65 | Coastal Use | IK08

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| | PX-0352-W | White | 25.00 |
| | PX-0352-B | Black | 25.00 |
| | PX-0352-S | Grey | 25.00 |

# Mocca



MADE FROM Aluminium

DIF Opal Polycarbonate

W TOTAL 4,9W | LED 4,7W 490lm | 220-240V 50-60Hz | Class II | IP65 | IK08 | Coastal Use

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000ºk | PX-0493-W | White | 26.00 |
| 3000ºk | PX-0493-S | Grey | 26.00 |

# Wide



MADE FROM Aluminium

DIF Polycarbonate

180°

* Frameless downlight provides much wider beam angle.

W TOTAL 9,5W | LED 8,5W 1100lm | 100-240V 50-60Hz | Class II | IP54

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000ºk | TC-0503-W | White | 10.00 |
| 4000ºk | TC-0504-W | White | 10.00 |

# Tender



DIF Polycarbonate + Steel

DIF Polycarbonate

W TOTAL 4,6W

LED 4W 550lm

100-240V 50-60Hz

Class II

IP20

ROT

TILT

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000ºk | DE-0500-W | White ○ | 26.00 |
| 3000ºk | DE-0500-B | Black ● | 26.00 |

# Wide



MADE FROM Aluminium

DIF Polycarbonate

180°

* Frameless downlight provides much beam angle.

W TOTAL 17,4W

LED 16,2W 2000lm

100-240V 50-60Hz

Class II

IP54

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000ºk | TC-0505-W | White ○ | 14.00 |
| 4000ºk | TC-0506-W | White ○ | 14.00 |

# Grove



MADE FROM Polycarbonate + ABS

DIF Polycarbonate

* 3 Colour covers included. (Black, White and Grey)

W TOTAL 3,4W | LED 3W 400lm | 220-240V 50-60Hz | Class II | IP65 | IK10 | Coastal Use

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 4000ºk | PX-0281-B | Black ● | 25.00 |

# Ford



MADE FROM Polycarbonate + ABS

DIF Polycarbonate

W TOTAL 12,5W | LED 11W | 100-240V 50-60Hz | Class II | IP65 | IK10 | Coastal Use

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 4000ºk | PX-0248-B | Black ● | 43.00 |



# Grove



MADE FROM Polycarbonate + ABS

DIF Polycarbonate

* High pressure water resistant.

W TOTAL 2,5W | LED 2W 400lm | 100-240V 50-60Hz | Class II | IP65 | IK10 | Coastal Use

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 4000ºk | PX-0129-B | Black ● | 27.00 |

# Hide



MADE FROM Aluminium | DIF Glass | SMART | WARM&COOL | 136°

* Vault effect with indirect LED.

W TOTAL 12W | LED 8,5W 1050lm | 220-240V 50-60Hz | Class II | IP44 | TILT 90°

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000ºk - 6000ºk | TC-0512-W | White ○ | 56.00 |

# ILO






MADE FROM Aluminium

DIF Acrylic

* Kit for joining two consecutive ILO sold separately.

W TOTAL 27,9W

LED 25W 2635lm

Included

240V 100-240V 50-60Hz

Class I

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000ºk | TC-0450-W | White | 125.00 |
| 4000ºk | TC-0451-W | White | 125.00 |
| 3000ºk | TC-0450-S | Grey | 125.00 |
| 4000ºk | TC-0451-S | Grey | 125.00 |
| Joining Kit | TC-0454-SIN | | 2.00 |

# BOWL



MADE FROM Steel

* Height adjustable up to 1820mm.

E27 Max.60W

240V 100-240V 50-60Hz

Class I

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| | DE-0488-B | Black | 68.00 |



# PENDANT KIT










| Variant | Item no. | Colour | £ |
|---|---|---|---|
| Pendant Feed | TC-0452-W | White | 6.00 |
| Pendant Feed | TC-0452-S | Grey | 6.00 |
| Suspension Kit | TC-0453-SIN | Satin | 3.00 |

# PRAY



MADE FROM Steel

* Height adjustable up to 1200mm.

E27 Max.60W

240V 100-240V 50-60Hz

Class I

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| | DE-0182-B | Black | 30.00 |

# Bowl



MADE FROM Steel

* Height adjustable up to 1700mm.

E27 Max.40W | 240V 100-240V 50-60Hz | Class I | IP44

| Variant | Item no. | Colour | | £ |
|---|---|---|---|---|
| | DE-0508-B | Black | ● | 46.00 |

# VIRA



MADE FROM Steel

* Height adjustable up to 1200mm.

GU10 Max 7W | 240V 100-240V 50-60Hz | Class I

| Variant | Item no. | Colour | | £ |
|---|---|---|---|---|
| | DE-0180-W | White | ○ | 44.00 |
| | DE-0180-B | Black | ● | 44.00 |

# KING



MADE FROM Cement

* Height adjustable up to 200 cm.

E27 Max.60W

240V 100-240V 50-60Hz

Class I

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| | DE-0265-CEM | Grey | 48.00 |

# Thin






MADE FROM Aluminium

* Up lighting and down lighting. Height adjustable up to 1200mm.

W TOTAL 25,9W

LED 22,9W 1950lm

220-240V 50-60Hz

Class II

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| 3000ºk | DE-0510-W | White | 135.00 |
| 3000ºk | DE-0510-B | Black | 135.00 |

# Bloom



MADE FROM Cement

* Height adjustable up to 1500mm.

E27 Max.23W | 240V 100-240V 50-60Hz | Class I

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| Cement | DE-0518-CEM | Cement | 26.00 |
| Pink | DE-0519-CEM | Cement | 26.00 |
| Green | DE-0520-CEM | Cement | 26.00 |

# DIXIE



MADE FROM Aluminium

* Height adjustable up to 2000 mm.

E27 Max.60W | 240V 100-240V 50-60Hz | Class I

| Variant | Item no. | Colour | £ |
|---|---|---|---|
| | DE-0267-G | Gold | 20.00 |
| | DE-0267-CU | Copper | 20.00 |

A
9012
T C
V

# Terms and Conditions

**DELIVERIES:**
All items held in our central European warehouse are available on a 4-5 day service. If your order is urgent we are able to offer an express next day service, cut off 10am, from Europe subject to a freight cost based on the weight of the order. All orders placed after 12pm will be treated as being received on the next working day. Delivery times are approximate we accept no liability for late deliveries caused by events beyond our control, this includes express deliveries.

**MINIMUM ORDER VALUE:**
Our carriage paid order value is £150 net excl vat, orders below £150 will be subject to a small order charge of £12.

**CHARGEABLE SAMPLES:**
We are happy to supply samples of any of our products which are to be returned at your own cost. All samples are chargeable, once received back and inspected, a credit will be issued if the sample is no longer required. All samples must be returned within 30 days of receipt.

**CANCELLATION OF ORDERS:**
Once an order is placed with us it is then placed with our suppliers to ensure the quickest delivery time possible. This process only allows us a 30 minute window in which to cancel / amend and order, beyond this time it is not possible to amend or cancel.

**RETURNS:**
Returned goods will not be accepted without prior notification. A returns authorisation document is available upon request (returns@intalite.co.uk), any goods returned without this authorisation document will be refused.

**FAULTS:**
If a product appears to be faulty we will offer to collect the product for inspection, if the fault is repairable this option will be offered, if the product is not repairable we will send it away for testing which can take up to 6 weeks. If a replacement is required in the meantime this will be supplied as a chargeable replacement, a credit will be issued once confirmed the product had a genuine fault and it has not been caused by poor installation.

**NON REQUIRED / CANCELLED ITEMS:**
All products ordered in error or not required will be subject to a 25% handling charge with the cost of return carriage to be incurred by the customer.

**MADE TO ORDER / EMERGENCY CONVERSIONS:**
All made to order products including emergency conversions are non-returnable.

**GUARANTEE:**
Products carry a 5 year electrical guarantee. All lamps have their own indicated life span and some paint finishes for exterior fittings are excluded. We recommend all products are installed by NICEIC or registered electrical contractors, failure to do so will result in any guarantee becoming void.

**ACCOUNTS FACILITIES:**
Can be applied for by returning our account application form (available at intalite.co.uk) We are contractually obliged to forward details to our insurers any account that is more than 60 days overdue this may result in credit facilities being removed and credit ratings being affected.

**PAYMENT TERMS (Account holders):**
We require payment in full by the last day of the month following the invoice date for this we offer a 2.5% settlement discount.

**RETENTION OF TITLE:**
All goods remain the property of INTALITE UK until such time that full payment is received for goods supplied. We are a supply company only, we offer replacements /repairs for faulty goods. We do not offer any form of compensation relating to installation / un-installation.

FOR LIGHT

# 5 YEAR WARRANTY

INTALITE UK

*Loving Light!*

148-154 Merton High St
Wimbledon
London
SW19 1AZ

Tel: +44 (0)20 8542 1471
Fax: 0870 4211 763

sales@intalite.co.uk
www.intalite.co.uk

FORLIGHT by LEDS C4