

BUNNING SPLICING & RIGGING LTD.

*** SERVING CANADIAN INDUSTRY SINCE 1956 ***

NYLON BELT SLINGS

TYPE 1—TRIANGLE & CHOKER SLING

TYPE 1 - Sling made with a triangle end fitting on one end and a slotted triangle choker fitting on the other end. It can be used in a vertical, basket or choker hitch. Choice of lightweight aluminum or durable steel fittings are available for Single Ply Slings. Double Ply Slings are not available with aluminum fittings - only durable steel fittings are used!



SINGLE PLY

TYPE 1

Stock Code No	Width Inches	Vertical S.W.L. LBS	Choker S.W.L. LBS	Basket S.W.L. LBS
TC1-902	2	3,200	2,560	6,400
TC1-903	3	4,700	3,760	9,400
TC1-904	4	6,200	4,960	12,400
TC1-906	6	9,300	7,440	18,600
TC1-908	8	12,800	10,240	25,600
TC1-910	10	16,000	12,800	32,000
TC1-912	12	19,200	15,360	38,400

DOUBLE PLY

TYPE 1

Stock Code No	Width Inches	Vertical S.W.L. LBS	Choker S.W.L. LBS	Basket S.W.L. LBS
TC2-902	2	6,200	4,960	11,200
TC2-903	3	8,800	7,000	16,800
TC2-904	4	11,000	8,800	22,400
TC2-906	6	16,500	13,200	33,600
TC2-908	8	22,750	18,200	45,500
TC2-910	10	28,500	22,800	57,000
TC2-912	12	34,100	27,300	68,200

NEVER EXCEED SAFE WORKING LOAD LIMITS!!!

31 Chauncey Avenue, Toronto, Ontario M8Z 2Z2 (416) 233-3331

BUNNING SPLICING & RIGGING LTD.

*** SERVING CANADIAN INDUSTRY SINCE 1956 ***

NYLON BELT SLINGS

TYPE 2—TRIANGLE & TRIANGLE SLING

TYPE 2 - Sling made with a triangle fitting on both ends. It can be used in a vertical or basket hitch only. Choice of lightweight aluminum or durable steel fittings are available for Single Ply Slings. Double Ply Slings are not available with aluminum fittings - only durable steel fittings are used!



SINGLE PLY

TYPE 2

Stock Code No	Width Inches	Vertical S.W.L. LBS	Basket S.W.L. LBS
TT1-902	2	3,200	6,400
TT1-903	3	4,700	9,400
TT1-904	4	6,200	12,400
TT1-906	6	9,300	18,600
TT1-908	8	12,800	25,600
TT1-910	10	16,000	32,000
TT1-912	12	19,200	38,400

DOUBLE PLY

TYPE 2

Stock Code No	Width Inches	Vertical S.W.L. LBS	Basket S.W.L. LBS
TT2-902	2	6,200	12,400
TT2-903	3	8,800	17,600
TT2-904	4	11,000	22,000
TT2-906	6	16,500	33,000
TT2-908	8	22,750	45,500
TT2-910	10	28,500	57,000
TT2-912	12	34,100	68,200

NEVER EXCEED SAFE WORKING LOAD LIMITS!!

31 Chauncey Avenue, Toronto, Ontario M8Z 2Z2 (416) 233-3331

BUNNING SPLICING & RIGGING LTD.

*** SERVING CANADIAN INDUSTRY SINCE 1956 ***

NYLON BELT SLINGS

TYPE 3 - FLAT - TYPE 4 - TWISTED



TYPE 3 - Sling made with a flat loop eye on each end with loop eye opening on same plane as sling body. This type of sling is sometimes called a flat eye and eye, eye and eye, or double eye sling.

TYPE 4 - Sling made with both loop eyes formed as in Type 3, except that the loop eyes are turned to form a loop eye which is at right angle to the plane of the sling body. This type of sling is commonly referred to as a twisted eye sling.

Type 3 & 4

Stock Code No.	Width Inches	Vertical S.W.L. LBS	Choker S.W.L. LBS	Basket S.W.L. LBS
<u>SINGLE PLY</u>				
EE1-901	1	1,600	1,200	3,200
EE1-902	2	3,200	2,500	6,400
EE1-903	3	4,800	3,800	9,600
EE1-904	4	6,500	5,200	13,000
EE1-906	6	9,700	7,800	19,400
EE1-908	8	13,000	10,400	26,000
EE1-910	10	16,200	13,000	32,400
EE1-912	12	19,500	15,600	39,000
<u>DOUBLE PLY</u>				
EE2-901	1	3,100	2,500	6,200
EE2-902	2	6,200	5,000	12,400
EE2-903	3	8,800	7,000	17,600
EE2-904	4	11,000	8,800	22,000
EE2-906	6	16,500	13,200	33,000
EE2-908	8	22,700	18,200	45,500
EE2-910	10	28,400	22,800	57,000
EE2-912	12	34,100	27,300	68,200

NEVER EXCEED SAFE WORKING LOAD LIMITS!!

31 Chauncey Avenue, Toronto, Ontario M8Z 2Z2 (416) 233-3331

BUNNING SPLICING & RIGGING LTD.

*** SERVING CANADIAN INDUSTRY SINCE 1956 ***

NYLON BELT SLINGS **TYPE 5 - ENDLESS OR GROMMET**

TYPE 5 - Endless sling, sometimes referred to as a grommet. It is a continuous loop formed by joining the ends of the fabric together with a splice.



TYPE 5

Stock Code No	Width Inches	Vertical S.W.L LBS	Choker S.W.L. LBS	Basket S.W.L. LBS
SINGLE PLY				
EN1-901	1	3,200	2,400	6,200
EN1-902	2	6,200	4,700	12,600
EN1-903	3	9,400	7,000	18,800
EN1-904	4	12,600	9,400	25,200
EN1-906	6	18,900	14,100	37,800
DOUBLE PLY				
EN2-901	1	6,200	4,900	12,400
EN2-902	2	12,400	9,900	24,800
EN2-903	3	17,600	14,000	35,200
EN2-904	4	22,000	17,600	44,000
EN2-906	6	33,000	26,400	66,000

NEVER EXCEED SAFE WORKING LOAD LIMITS !!!

31 Chauncey Avenue, Toronto, Ontario M8Z 2Z2 (416) 233-3331