

# 1<sup>st</sup> Mornington Barry Handley Camp


## Construction guide–

Each Patrol will be assessed on the following items,


- Dresser
- Washbasin Stand
- Tea Towel Rack
- Tool Rack,
- Hat Rack
- Sleeping Bag Stand (Sunday Morning)
- Gateway
- Flag pole
- Patrol name sign
- Extras\*
  - Coat-hangers, Shoe-rack, rubbish-bag holder- (with lid), mug-rack, shoe-scraper,

## Important

- The gadgets must be free-standing – not tethered to the ground or tied to trees
- The gadgets must be used
  - the sleeping bag stand must have sleeping bags on - Sunday morning
  - The tool rack must have tools on
  - The dresser used with water bowl etc.
  - The washbasin with clean water and soap – at camp entrance
  - Tea towel rack with tea-towels
- The gadgets should be level
- Good strong properly tied lashings with tidied up ends of rope.
- Design your gadgets in advance and bundle together and label wood and rope, but do not take anything partly built
- \*More points for more gadgets



Wash Stand



Kitchen dresser



Shoe stand



Plate Rack



Mug tree






Plate Rack




Wash Stations




Woodpile



Camp tables





# Dresser



# Dresser

Washup table — bowl here





# Washbasin stand



Wash Basin




# Tea-towel rack



Towel Rack

# Tool rack




## Hat Rack & Sleeping-bag rack



## Gateway








Flag-pole



## Method


- Lash together two staves using sheer lashings to make the staff for the flag. (a)



make the


- To make the base, lay two staves on the floor 1.6m apart and lay two more staves across the ends to make a square. Use square lashings to hold these in place.

- Place the remaining staff across the two top-most staves and secure using square lashings. (b)




centre of



- Before you fix the flag staff on the base, attach the guy ropes by halving each of the long cords and tying them onto the staff with clove hitches. If you tie them just above the sheer lashings they will not slip down. Also attach the pulley and halyard to the top of the flag staff.



- Finally, stand the staff upright and affix it to the centre of the base using another square lashing. The guy lines are attached to the base to stabilise the structure.





Extras



Shoe Scraper

Coat Hanger



**1st Mornington  
Winning Patrol  
with the  
'Barry Handley Cup'  
2013**

