



DC12V/24V Flexible LED Strip



PICTURE	PART NO.	COLOR	λd/TCC	LED QTY/M	PCB WIDT H	Power/M	PRICE/ROLL(USD)			
							IP20 Non-waterproof	IP65 Silicon Covering	IP67 Silicon Tube	IP68 Silicon Filled
SMD 3528 Flexible LED Strips, 5M/Reel							7-8LM			
	DR-3528FX60-12W	<input type="checkbox"/> WHITE	6000-6500K	60 LEDs/m	8mm	4.8W				
	DR-3528FX60-12WW	<input type="checkbox"/> WARM WHITE	2800-3200K							
	DR-3528FX60-12R	<input checked="" type="checkbox"/> RED	620-625nm							
	DR-3528FX60-12Y	<input checked="" type="checkbox"/> YELLOW	585-595nm							
	DR-3528FX60-12B	<input checked="" type="checkbox"/> BLUE	460-465nm							
	DR-3528FX60-12G	<input checked="" type="checkbox"/> GREEN	510-525nm							
	DR-3528FX60-12RGB	<input checked="" type="checkbox"/> RGB	RGB							
	DR-3528FX120-12W	<input type="checkbox"/> WHITE	6000-6500K	120 LEDs/m	8mm	9.6W				
	DR-3528FX120-12WW	<input type="checkbox"/> WARM WHITE	2800-3200K							
	DR-3528FX120-12R	<input checked="" type="checkbox"/> RED	620-625nm							
	DR-3528FX120-12Y	<input checked="" type="checkbox"/> YELLOW	585-595nm							
	DR-3528FX120-12B	<input checked="" type="checkbox"/> BLUE	460-465nm							
	DR-3528FX120-12G	<input checked="" type="checkbox"/> GREEN	510-525nm							
	DR-3528FX240-12W	<input type="checkbox"/> WHITE	6000-6500K	240 LEDs/m	12mm	19.2W				
	DR-3528FX240-12WW	<input type="checkbox"/> WARM WHITE	2800-3200K							
SMD 5050 Flexible LED Strips, 5M/Reel							18-20LM			
	DR-5050FX30-12W	<input type="checkbox"/> WHITE	6000-6500K	30 LEDs/m	10mm	7.2W				
	DR-5050FX30-12WW	<input type="checkbox"/> WARM WHITE	2800-3200K							
	DR-5050FX30-12R	<input checked="" type="checkbox"/> RED	620-625nm							
	DR-5050FX30-12Y	<input checked="" type="checkbox"/> YELLOW	585-595nm							
	DR-5050FX30-12B	<input checked="" type="checkbox"/> BLUE	460-465nm							
	DR-5050FX30-12G	<input checked="" type="checkbox"/> GREEN	510-525nm							
	DR-5050FX30-12RGB	<input checked="" type="checkbox"/> RGB	RGB							
	DR-5050FX60-12W	<input type="checkbox"/> WHITE	6000-6500K	60 LEDs/m	10mm	14.4W				
	DR-5050FX60-12WW	<input type="checkbox"/> WARM WHITE	2800-3200K							
	DR-5050FX60-12R	<input checked="" type="checkbox"/> RED	620-625nm							
	DR-5050FX60-12Y	<input checked="" type="checkbox"/> YELLOW	585-595nm							
	DR-5050FX60-12B	<input checked="" type="checkbox"/> BLUE	460-465nm							
	DR-5050FX60-12G	<input checked="" type="checkbox"/> GREEN	510-525nm							
	DR-5050FX60-12RGB	<input checked="" type="checkbox"/> RGB	RGB							

Quality B

**30z
COPPER
PCB**

Quality B




DR-5050FX60-12UV	UV / PURPLE	395-400nm	60 LEDs/m	10mm	14.4W				
DR-5050FX60-12P	PINK	Pink							
DR-5050FX60-12A	AMBER	Orange							




DR-5050FX120-24W	WHITE	6000-6500K	120 LEDs/m	15mm	28.8W				
DR-5050FX120-24WW	WARM WHITE	2800-3200K							

2.5m/roll
, 24V

SMD 2835 Flexible LED Strips, 5M/Reel **22-24LM**



DR-2835FX60-24W	WHITE	6000-6500K	60 LEDs/m	8mm	12W				
DR-2835FX60-24WW	WARM WHITE	2800-3200K							
DR-2835FX120-24W	WHITE	6000-6500K	120 LEDs/m	10mm	24W				
DR-2835FX120-24WW	WARM WHITE	2800-3200K							



DR-2835FX120-24V-420NM		420nm	120 LEDs/m	10mm	LED Growing Strip for Plants				
DR-2835FX120-24V-450NM		450nm							
DR-2835FX120-24V-620NM		620-625nm							
DR-2835FX120-24V-660NM		660nm							

SMD 335 Flexible LED Strips, 5M/Reel **5LM**




DR-335FX60-12W	WHITE	6000-6500K	60 LEDs/m	8mm	4.8W				
DR-335FX60-12WW	WARM WHITE	2800-3200K							
DR-335FX120-12W	WHITE	6000-6500K	120 LEDs/m	8mm	9.6W				
DR-335FX120-12WW	WARM WHITE	2800-3200K							

SMD 3014 Flexible LED Strips, 5M/Reel **10-12LM**





DR-3014FX120-24W	WHITE	6000-6500K	120 LEDs/m	8mm	12W				
DR-3014FX120-24WW	WARM WHITE	2800-3200K							

SMD 5630 Flexible LED Strips, 5M/Reel **50-55LM**


	DR-5630FX60-12W	<input type="checkbox"/> WHITE	6000-6500K	60 LEDs/m	10mm	30W				
	DR-5630FX60-12WW	<input type="checkbox"/> WARM WHITE	2800-3200K							

Good CRI LED Strip for Food Display, 5M/Reel **22-24LM**


	DR-5050FX60-12F		/	60 LEDs/m	10mm	14.4W				
--	-----------------	---	---	-----------	------	-------	--	--	--	--



SMD Double Color Flexible LED Strips, 5M/Reel

	DR-5050FX60-12WB	<input type="checkbox"/> <input type="checkbox"/>	/	60 LEDs/m	12mm	14.4W				
	DR-5050FX60-12WR	<input type="checkbox"/> <input type="checkbox"/>								
	DR-5050FX60-12WG	<input type="checkbox"/> <input type="checkbox"/>								
	DR-5050FX60-12W/WW	<input type="checkbox"/> <input type="checkbox"/>								
	DR-5050FX60-12XY	Other Two Colors								

CCT Adjustable Strip with WARM WHITE and PURE WHITE in one led chip

	DR-5050FX60-12CCT	<input type="checkbox"/> <input type="checkbox"/>	/	60LEDs/m	10mm	14.4W				
--	-------------------	---	---	----------	------	-------	--	--	--	--



SMD RGBW Flexible LED Strips, 5M/Reel

	DR-5050FX60-24RGB+W	RGB+W	RGBW	60 LEDs/m	12mm	14.4W				
	DR-5050FX60-24RGBW	RGBW	RGBW							

Bendable 2835 LED Strip - "S" type (can curve in any angle, excellent bend-resistance)

	DR-2835FXB60-12W	WHITE	6000-6500K	60 LEDs/m	6mm	12W	Only available for non-waterproof			
	DR-2835FXB60-12WW	WARM WHITE	2800-3200K							
	DR-2835FXB60-12R	RED	620-625nm							
	DR-2835FXB60-12Y	YELLOW	585-595nm							
	DR-2835FXB60-12B	BLUE	460-465nm							
	DR-2835FXB60-12G	GREEN	510-525nm							

WS2801 Flexible LED Strips, 5M/Reel (Each group of three chips addressable)

	DR-2801FX32-5RGB	RGB	DC5V	32 LEDs/m	12mm	9.6W/M				/
--	------------------	-----	------	-----------	------	--------	--	--	--	---

WS2811 Flexible LED Strips, 5M/Reel (Each group of three chips addressable)

	DR-2811FX30-12RGB	W/WW/R/Y/B/G/RGB	DC12V	30 LEDs/m	10mm	7.2W/M				/
	DR-2811FX48-12RGB	RGB	DC12V	48 LEDs/m	10mm	12W/M				/
	DR-2811FX60-12RGB	RGB	DC12V	60 LEDs/m	10mm	14.4W/M				/
	DR-2811FX30-12RGBW	RGBW	DC12V	30 LEDs/m	10mm	7.2W/M				/

WS2812 Flexible LED Strips, 5M/Reel (Each chip addressable)

	DR-2812FX30-5RGB	RGB	DC5V	30 LEDs/m	10mm	9W/M				/
	DR-2812FX60-5RGB	RGB	DC5V	60 LEDs/m	5mm (2m per roll)	18W/M				/
	DR-2812FX60-5RGB	RGB	DC5V	60 LEDs/m	10mm	18W/M				/
	DR-2812FX144-5RGB	RGB	DC5V	144 LEDs/m	12mm	43.2W/M				/

WS2801/2811/2812B/2812S Compatible Flexible LED Strips (Each chip addressable)












DR-5050FX60IC-5RGB	RGB		DC5V	60 LEDs/m	10mm	14.4W/M					
--------------------	-----	--	------	-----------	------	---------	--	--	--	--	--
















- 1. Each chip addressable
- 2. New technique
- 3. Compatible for kinds of IC
- 4. 84leds/m is available

- 1) The above price is on the basis of 5M per roll.
- 2) All our IP65 and IP68 price are for silicon glue.
- 3) Silicon glue advantage:
- 4) Warranty: 3 years
- 5) PCB: White, Black and Yellow are available.
- 6) Lighting source: SMD with Epistar Chip.
- 7) Working voltage: 12V & 24V is available.
- 8) 3 leds is cuttable.
- 9) Viewing angle: 120 degrees.



Connectors








PICTURE	PART NO.	DESCRIPTION	PRICE	MOQ (pcs)
	DR-2P8MM-W	3528 single color connector		
	DR-2P10MM-W	5050 single color connector		
	DR-4PRGB-W	5050 RGB connector		
	DR-2P8MM	3528 single color connector		
	DR-2P10MM	5050 single color connector		
	DR-4PRGB	5050 RGB connector		
	DR-2P8MM-W2	3528 single color connector		
	DR-2P10MM-W2	5050 single color connector		
	DR-4PRGB-W2	5050 RGB connector		
	DR-5PRGBW	RGBW connector		
	DR-5PRGBW-W	RGBW connector		
	DR-5PRGBW-W2	RGBW connecto		




PICTURE	PART NO.	ESCRIPTIO	PRICE	MOQ (pcs)	
	DR-DC-FEMALE	Female DC connector			
	DR-DC-MALE	Male DC connector			
	DR-DC-T4	Dia:5.5*2.1 mm			
	DR-DC-T3	Dia:5.5*2.1 mm			
	DR-DC-T2	Dia:5.5*2.1 mm			
	DR-DC-T1	Dia:5.5*2.1 mm			
	DR-DC-2P8MM DR-DC-2P10MM	Dia:5.5*2.1 mm			
	DR-2P8MM-LC DR-2P10MM-LC		DR-4PRGB-LC		DR-5PRGBW-LC
	DR-2P8MM-TC DR-2P10MM-TC		DR-4PRGB-TC		DR-5PRGBW-TC
	DR-2P8MM-XC DR-2P10MM-XC		DR-4PRGB-XC		DR-5PRGBW-XC

Remote Controller



PICTURE	PART NO.	Remark	PRODUCT NAME	DESCRIPTION	PRICE
	DR-CON-IR24B-3CH	5/12/24V	IR 24 key remote controller	Supply voltage: DC5V, DC12V, DC18V, DC24V Output power: 5V: <30W, 12V: <72W, 24V: <144W	
	DR-CON-IR44B-3CH	5/12/24V	IR44 key remote controller	Supply voltage: DC5V, DC12V, DC18V, DC24V Output power: 5V: <30W, 12V: <72W, 24V: <144W	
	DR-CON-IR20M-3CH	12/24V	IR music controller	Supply voltage: DC12V, DC24V Output power: 12V: <72W, 24V: <144W	
	DR-DIMMER-TC101	5/12/24V	Mini 3 keys Dimmer	5V<20W, 12V<48W, 24V<96W	
	DR-DIMMER-RF101	12/24V	Wireless Mini Dimmer	1. Power: 72W 2. 0-12V dimmable 3. 8 kinds of single color changes mode	
	DR- XDIMMER-1CH	5/6/12/24	1CH Dimmer (Rotary-type)	Supply voltage: DC5V,DC12V、 DC24V Output power: 5V<40 W, 12V< 96W, 24V<192 W	
	DR-LDIMMER-1CH	5,6,12,24	L=5,6,12,24	Supply voltage: DC5V,DC12V、 DC24V Output power: 5V<10W, 12V<24W, 24V<48W	
	DR-RFDIMMER-1CH	5,6,12,24	wireless dimmer	Supply voltage: DC5V,DC12V、 DC24V Output power: 5V<40W, 12V<96W, 24V<192 W	

	DR-RF10B-3CH	12/24V	RF Mini RGB controller	1. Power: 72W/144W 2. Total 20 colors 3. 19 kinds of rgb color changes mode, dimmable and speed is adjustable	
	DR-CON-RF8B(T)-3CH	5/6/12/24V	Wireless Controller	Supply voltage: DC5V, DC6V, DC12V, DC24V Output power: 5V:<60W, 12V:<144W, 24V:<288W	
	DR-CON-RF20B(H)-3CH	5/6/12/24V	Wireless Controller	Supply voltage: DC5V, DC6V, DC12V, DC24V Output power: 5V:<60W, 12V:<144W, 24V:<288W	
	DR-RC-T-RGB		Rainbow Touch RGB controller (433.92MHZ)	Supply voltage: DC12V, DC24V Total output current: 18A	
	DR-CON-RGB	DC12V/24V	Rainbow Touch RGB controller (2.4GHZ)	Supply voltage: DC12V, DC24V Total output current: 18A	
	DR-RC-T-CCT		Color temperature adjustable controller	Supply voltage: DC12V, DC24V Total output current: 18A	
	DR-CON-IR28B-CCT		Color temperature adjustable controller		
	DR-CON-RGBW	DC12V/24V	Rainbow Touch RGBW controller (2.4GHZ)	Supply voltage: DC12V, DC24V Total output current: 24A	
	DR-CON-IR40B-RGBW		RGBW Controller	5V, 12V, 24V 12<96W	



	DR-ZJFJ-3CH	5/6/12/24V	RGB Amplifier (Aluminum version)	Supply voltage: DC5V, DC12V,DC24V Output power: 5V< 60W, ,12V< 144W, 24V<288W	
	DR-DMXTCON-3CH	5/6/12/24V	512 DMX Decoder	Supply voltage: DC5V, DC12V、DC24V 5V<60 W, 12V<144W,24V<288W	
	DR-CON-IC1	DC5V/12V	WS2811, WS2812 Controller	Maximum control 300 pixel	
	DR-CON-IC2	DC5V/12V	WS2811, WS2812 Controller	Maximum control 300 pixel	
	DR-CON-IC3	DC5V	WS2812 Controller	DC5V Maximum control 1024 pixel	
	DR-CON-T1000S	DC5V/12V	6803, WS2801, WS2811, WS2812 Controller	HC-202S with SD card, can control 2048 pixel	
	DR-CON-T8000	DC5V/12V	6803, WS2801, WS2811, WS2812 Controller	T8000 Controller, can control 8192 pixel	
	DR-WIFI-B		Wifi controller for led strip	1. Remote distance: 30m indoor, 60m outdoor 2. Suitable mobile phone: IOS 4.3 and Android 2.3 or above 3. Working voltage: DC12-36V	

	DR-WIFI-A		Mobile phone wifi control system	<ol style="list-style-type: none"> 1. Suitable for below 2.4G RGB and RGBW controllers 2. Wireless connection to led strip and other controllers 3. Simple and convenient 	
	DR-BLUETOOTH-B (Android Version & IOS Version)	DC12V/24V	IR bluetooth mini RGB controller	<ol style="list-style-type: none"> 1. Android Version & IOS Version 2. Can be used to support infrared 24 key remote control, suitable for all people. It also can be used without the IR remote 3. Can adjust monochrome, double color, RGB, RGBW 4 kinds of lamps, product factory has set 	
	DR-BLUETOOTH-C (4.0)	DC5-24V power: 4*6A	Bluetooth led controller for led strip	<ol style="list-style-type: none"> 1. Can be set switch timing function. 2. Follow the rhythm of the music changes 3. Group control. 4. brightness, speed Addition and subtraction 5. Maximum can be 20 meters RGB or RGBW lamp 	



UL Power Supply

PICTURE	PART NO.	Input Voltage	DESCRIPTION	Dimension	Weight (kg)	Price (usd) UL, FCC, SAA, PSE, KC, SASO, CE,
	DR-6W-12V-P	100-240V	12V 0.5A 6W	72*28*42	0.1	
	DR-12W-12V-P	100-240V	12V 1A 12W	72*28*42	0.1	
	DR-24W-12V-P	100-240V	12V 2A 24W	83*44*32	0.1	
	DR-36W-12V-P	100-240V	12V 3A 36W	90*52*34	0.2	
	DR-48W-12V-P	100-240V	12V 4A 48W	90*52*34	0.2	
	DR-60W-12V-P	100-240V	12V 5A 60W	90*52*34	0.2	
	DR-12W-12V	100-240V	12V 1A 12W	76*46*23	0.2	
	DR-24W-12V	100-240V	12V 2A 24W	98*45*28	0.2	
	DR-36W-12V	100-240V	12V 3A 36W	116*50*30	0.3	
	DR-48W-12V	100-240V	12V 4A 48W	116*50*30	0.3	
	DR-60W-12V	100-240V	12V 5A 60W	116*50*30	0.4	
	DR-72W-12V	100-240V	12V 6A 72W	140*60*34	0.5	
	DR-96W-12V	100-240V	12V 8A 96W	140*60*34	0.6	
	DR-120W-12V	100-240V	12V 10A 120W	127*51*30	0.7	
	DR-24W-24V	100-240V	24V 1A 24W	116*50*30	0.2	
	DR-48W-24V	100-240V	24V 2A 48W	116*50*30	0.3	
	DR-72W-24V	100-240V	24V 3A 72W	140*60*34	0.5	
	DR-96W-24V	100-240V	24V 4A 96W	140*60*34	0.6	
	DR-120W-24V	100-240V	24V 5A 120W	127*51*30	0.7	


MEANWELL UL POWER SUPPLY


	LRS-200-12	100-240V	12V 17A 200W	70*4*30	0.16	
	LRS-350-12	100-240V	12V 29A 350W	70*4*30	0.16	
	SP-240-12	100-240V	12V 20A 240W	84*58*38	0.155	
	NES-100-12	100-240V	12V 8.3A 100W	84*58*38	0.15	
	NES-150-12	100-240V	12V 12.5A 150W	84*58*38	0.17	
	NES-200-12	100-240V	12V 17A 200W	111*78*36	0.26	
	NES-350-12	100-240V	12V 29A 350W	111*78*36	0.27	
	LPV-35-12	100-240V	12V 3A 35W	132*30*20mm	0.2	
	LPV-100-12	100-240V	12V 8.3A 100W	132*30*20mm	0.2	

CE ROHS Power Supply

PICTURE	PART NO.	Imput Voltage	DESCRIPTION	Dimension	Weight (kg)	Price (usd)
 	ADAPTER12V0.5A-P	100-240V	12V 0.5A 6W	72*28*42	0.1	
	ADAPTER12V1A-P	100-240V	12V 1A 12W	74*49*29mm	0.1	
	ADAPTER12V2A-P	100-240V	12V 2A 24W	97*45*31mm	0.1	
	ADAPTER12V3A-P	100-240V	12V 3A 36W	90*52*34	0.2	
	ADAPTER12V1A	100-240V	12V 1A 12W	74*49*29mm	0.2	
	ADAPTER12V2A	100-240V	12V 2A 24W	97*45*31mm	0.2	
	ADAPTER12V3A	100-240V	12V 3A 36W	115*45*32mm	0.3	
	ADAPTER12V4A	100-240V	12V 4A 48W	115*45*32mm	0.3	
	ADAPTER12V5A	100-240V	12V 5A 60W	120*60*38mm	0.4	
	ADAPTER12V6A	100-240V	12V 6A 72W	132*58*31	0.5	
	ADAPTER12V8A	100-240V	12V 8A 96W	170*65*38	0.6	
	ADAPTER12V10A	100-240V	12V 10A 120W	170*65*38	0.7	
	ADAPTER24V1A	100-240V	24V 1A 24W	97*45*31mm	0.2	
	ADAPTER24V2A	100-240V	24V 2A 48W	115*45*32mm	0.3	
	ADAPTER24V3A	100-240V	24V 3A 72W	132*58*31	0.5	
	ADAPTER24V4A	100-240V	24V 4A 96W	170*65*38	0.6	
	ADAPTER24V5A	100-240V	24V 5A 120W	170*65*38	0.7	

	LKADAPTER12V12W	100-240V	12V 1A 12W	70*4*30	0.16	
	LKADAPTER12V15W	100-240V	12V 1A 15W	70*4*30	0.16	
	LKADAPTER12V25W	100-240V	12V 2A 24W	84*58*38	0.155	
	LKADAPTER12V30W	100-240V	12V 2.5A 30W	84*58*38	0.15	
	LKADAPTER12V35W	100-240V	12V 3A 36W	84*58*38	0.17	
	LKADAPTER12V50W	100-240V	12V 4A 48W	111*78*36	0.26	
	LKADAPTER12V60W	100-240V	12V 5A 60W	111*78*36	0.27	
	LKADAPTER12V75W	100-240V	12V 6.2A 75W	111*78*36	0.3	
	LKADAPTER12V100W	100-240V	12V 8.3A 100W	159*98*38	0.48	
	LKADAPTER12V120W	100-240V	12V 10A 120W	159*98*38	0.48	
	LKADAPTER12V150W	100-240V	12V 12.5A 150W	159*98*38	0.54	
	LKADAPTER12V200W	100-240V	12V 16.6A 200W	199*98*38	0.65	
	LKADAPTER12V250W	100-240V	12V 20.8A 250W	199*98*38	0.85	
	LKADAPTER12V350W	100-240V	12V 29A 350W	215*115*50	1.03	
	LKADAPTER12V400W	100-240V	12V 33A 400W	215*115*50	1.05	
	LKADAPTER12V480W	100-240V	12V 40A 480W	215*115*50	1.1	
	LKADAPTER12V600W	100-240V	12V 50A 600W	238*124*65	1.85	
	LKADAPTER12V800W	100-240V	12V 66.6A 800W	247*127*63.7	2.1	
	LKADAPTER5V200W	100-240V	5V 40A 200W	199*98*38	0.65	
LKADAPTER5V350W	100-240V	5V 70A 350W	215*115*50	1.03		

	WPADAPTER12V12W	100-240V	12V 1A 12W	132*30*20mm	0.15	
	WPADAPTER12V20W	100-240V	12V 1.7A 20W	132*30*20mm	0.16	
	WPADAPTER12V25W	100-240V	12V 2A 25W	132*30*20mm	0.2	
	WPADAPTER12V30W	100-240V	12V 2.5A 30W	182*30*20mm	0.23	
	WPADAPTER12V50W	100-240V	12V 4.2A 50W	222*30*20mm	0.72	
	WPADAPTER12V60W	100-240V	12V 5A 60W	190*48*38mm	0.62	
	WPADAPTER12V80W	100-240V	12V 6.6A 80W	190*48*38mm	0.64	
	WPADAPTER12V100W	100-240V	12V 8.3A 100W	222*69*43mm	1.25	
	WPADAPTER12V120W	100-240V	12V 10A 120W	222*69*43mm	1.25	
	WPADAPTER12V150W	100-240V	12V 12.5A 150W	245*70*48mm	1.55	
	WPADAPTER12V200W	100-240V	12V 16.7A 200W	235*120*58mm	2.85	
	WPADAPTER12V250W	100-240V	12V 20A 250W	235*120*58mm	2.9	
	WPADAPTER12V300W	100-240V	12V 25A 300W	235*120*58mm	3.5	



RGB Blister KIT



12V LED Strip



LED Rigid Strip



110V/220V LED Strip