

02 Recessed Spots Fixed LED>The IP65 Project Range

10102H/W/C



2W COB LED recessed spot IP65.

Requires 700mA driver.

Complies with standard EN60598-1 and any other specific standards.

















Downloads










Dimensions




Gallery



Must be ordered separately





89004A

89004AT

Physical Specification

| Item Group | 02 Recessed Spots Fixed LED |
|----------------------|-----------------------------|
| Family | The IP65 Project Range |
| Order Code | 10102H/W/C |
| Colour | White |
| Material | Aluminium |
| Shape | Circular |
| Height | 30mm |
| Diameter | 40mm |
| Cutout Hole Diameter | 30mm |
| Recessed Ceiling | Yes |
| Depth Required | 50mm |
| Indoor | Yes |
| Outdoor | Yes |
| Adjustable | No |

Electrical Characteristics

| Fitting | |
|---------------|------------------|
| Input Type | Constant Current |
| Input Current | 700mA |
| Safety Class | |
| Power(Watts) | 2W |
| IP Rating | IP65 |
| Light Source | LED built in |
| LED Type | СОВ |
| LED Brand | Lumileds |
| LED Number | 1 |
| Cable Length | 100cm |
| F Mark | F |

| Colour Temperature | 4000K |
|------------------------|---------------|
| _umen Output | 100lm |
| _ight Efficiency | 50lm/W |
| CRI | 85 |
| Beam Angle | 30° |
| Ilumination Diagram | |
| Dark Light | Yes |
| | |
| | |
| cking Info | |
| Box Length | 6,5cm |
| Box Width | 6,5cm |
| Box Height | 4,5cm |
| Box Weight | 0,081kg |
| Pcs/Carton | 100 |
| Barcode | 5291889049784 |
| HS Code | 9405409900 |
| | |
| | |
| rtification & Warranty | |
| Warranty | 5 Years |
| Weee Directive | Yes |
| | |