



3W Recessed Dark Light LED spot IP20.

Requires 350mA driver.


Complies with standard EN60598-1 and any other specific standards.



## Downloads



## Dimensions



## Gallery




## Must be ordered separately



89004

## Related items



89004T

## Physical Specification

Item Group	02 Recessed Spots Fixed LED
Family	The 3W Dark Light Range
Order Code	10103E/W/BS/W
Colour	White-Brass
Material	Aluminium
Shape	Circular
Height	52mm
Diameter	50mm
Cutout Hole Diameter	44mm
Recessed Ceiling	Yes
Depth Required	60mm
Indoor	Yes
Adjustable	No

## Electrical Characteristics


Fitting	
Input Type	Constant Current
Input Current	350mA
Voltage	8,7V
Safety Class	III
Power(Watts)	3W
IP Rating	IP20
Light Source	LED built in

LED Type
LED Brand
Cable Length
F Mark

COB
Bridgelux
40cm


#### Illumination Data

Colour Temperature
Lumen Output
Light Efficiency
CRI
Beam Angle
Illumination Diagram
Dark Light

3000K
240lm@3W
80lm/W
90
36°

Yes

#### Packing Info

Pcs/Carton
Barcode
HS Code

100
5291889071136
9405409900

#### Certification & Warranty

Warranty
Weee Directive

5 Years
Yes