



3x1W LED Decorative Range Recessed spot, IP20.

Requires 350mA driver.


Complies with standard EN60598-1 and any other specific standards.




Downloads




Dimensions



Gallery



Must be ordered separately



89004

Physical Specification

| Product Type         | Fitting                     |
|----------------------|-----------------------------|
| Item Group           | 02 Recessed Spots Fixed LED |
| Family               | LED Decorative Range        |
| Order Code           | 10103GL/D                   |
| Material             | Aluminium                   |
| Diffuser Material    | Acrylic                     |
| Shape                | Circular                    |
| Height               | 60mm                        |
| Diameter             | 90mm                        |
| Cutout Hole Diameter | 55mm                        |
| Recessed Ceiling     | Yes                         |
| Depth Required       | 50mm                        |
| Indoor               | Yes                         |

Electrical Characteristics

| Fitting       |                                                                                       |
|---------------|---------------------------------------------------------------------------------------|
| Input Type    | Constant Current                                                                      |
| Input Current | 350mA                                                                                 |
| Safety Class  |  |
| Power(Watts)  | 3W                                                                                    |
| IP Rating     | IP20                                                                                  |
| Light Source  | LED built in                                                                          |
| LED Number    | 1                                                                                     |
| Cable Length  | 40cm                                                                                  |
| F Mark        |  |

Illumination Data


|                    |       |
|--------------------|-------|
| Colour Temperature | 6000K |
|--------------------|-------|

|                      |                                                                                     |
|----------------------|-------------------------------------------------------------------------------------|
| Lumen Output         | 180lm                                                                               |
| Light Efficiency     | 60lm/W                                                                              |
| Illumination Diagram |  |

Packing Info

|            |               |
|------------|---------------|
| Pcs/Carton | 36            |
| Barcode    | 5291889022763 |
| HS Code    | 9405409900    |

Energy Label



Certification & Warranty

|               |         |
|---------------|---------|
| Warranty      | 2 Years |
| Wee Directive | Yes     |