


02 Recessed Spots Fixed LED>The IP65 Mini Range

10103P/AL/C



1W/3W COB LED recessed spot IP65.

Requires 350mA/700mA driver.

Complies with standard EN60598-1 and any other specific standards.















Downloads










Dimensions



Gallery



Must be ordered separately



89004



89004A



89004AT



89004T

Physical Specification

| Item Group | 02 Recessed Spots Fixed LED |
|----------------------|-----------------------------|
| Family | The IP65 Mini Range |
| Order Code | 10103P/AL/C |
| Colour | Aluminium |
| Material | Aluminium |
| Shape | Circular |
| Height | 46mm |
| Diameter | 46mm |
| Cutout Hole Diameter | 37mm |
| Recessed Ceiling | Yes |
| Depth Required | 60mm |
| Indoor | Yes |
| Outdoor | Yes |
| Adjustable | No |

Electrical Characteristics

| Fitting | |
|---------------|------------------|
| Input Type | Constant Current |
| Input Current | 350mA/700mA |
| Safety Class | |
| Power(Watts) | 1W/3W |
| IP Rating | IP65 |
| Light Source | LED built in |
| LED Brand | Cree |
| LED Number | 1 |
| Cable Length | 60cm |
| F Mark | F |

| Illumination Data | |
|--------------------------|---------------|
| Colour Temperature | 4000K |
| Lumen Output | 200lm@700mA |
| Light Efficiency | 66,67m/W |
| CRI | 80 |
| Beam Angle | 30° |
| Illumination Diagram | |
| | |
| Packing Info | |
| Day Langth | 40 5000 |
| Box Length | 13,5cm |
| Box Width | 6cm |
| Box Height | 5cm |
| Box Weight | 0,122kg |
| Pcs/Carton | 100 |
| Barcode | 5291889041481 |
| HS Code | 9405409900 |
| | |
| Certification & Warranty | |
| | |
| Warranty | 3 Years |
| Weee Directive | Yes |
| | |
| | |
| | |
| | |
| | |