



5W COB LED recessed spot, IP20, for general lighting applications.

Supplied with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



| Physical Specification |                                    |
|------------------------|------------------------------------|
| Item Group             | 02 Recessed Spots Fixed LED        |
| Family                 | The Dark Light Pro Range Aluminium |
| Order Code             | 10105FD/W/W                        |
| Colour                 | White                              |
| Material               | Aluminium                          |
| Shape                  | Circular                           |
| Height                 | 95mm                               |

|                      |
|----------------------|
| Diameter             |
| Cutout Hole Diameter |
| Recessed Ceiling     |
| Depth Required       |
| Indoor               |
| Adjustable           |

|       |
|-------|
| 55mm  |
| 50mm  |
| Yes   |
| 120mm |
| Yes   |
| No    |

Electrical Characteristics

|                  |
|------------------|
| Gear             |
|                  |
| Fitting + Driver |
|                  |
| Input Voltage    |
| 50 Hz            |
| 60 Hz            |
| Safety Class     |
| Power(Watts)     |
| IP Rating        |
| Light Source     |
| Dimmable         |
| F Mark           |

|                                                                                       |
|---------------------------------------------------------------------------------------|
| External-Included                                                                     |
|                                                                                       |
|                                                                                       |
| 220-240V                                                                              |
| Yes                                                                                   |
| Yes                                                                                   |
|  |
| 5W                                                                                    |
| IP20                                                                                  |
| LED built in                                                                          |
| No                                                                                    |
|  |

|               |
|---------------|
| Fitting       |
|               |
| Input Type    |
| Input Current |
| Voltage       |
| Safety Class  |
| Power(Watts)  |
| IP Rating     |
| Light Source  |
| LED Type      |
| LED Brand     |

|                                                                                       |
|---------------------------------------------------------------------------------------|
| Constant Current                                                                      |
| 300mA                                                                                 |
| 14,9V                                                                                 |
|  |
| 4,5W                                                                                  |
| IP20                                                                                  |
| LED built in                                                                          |
| COB                                                                                   |
| Epistar                                                                               |

|                  |                                                                                       |
|------------------|---------------------------------------------------------------------------------------|
| LED Number       | 1                                                                                     |
| F Mark           |    |
| Gear             |                                                                                       |
| Gear Type        | Led Driver                                                                            |
| Input Voltage    | 220-240V                                                                              |
| 50 Hz            | Yes                                                                                   |
| 60 Hz            | Yes                                                                                   |
| Power(Watts)     | 4,2-7,25W                                                                             |
| Power Factor     | 0,9                                                                                   |
| Constant Current | Yes                                                                                   |
| 300mA            | 14-24v                                                                                |
| IP Rating        | IP20                                                                                  |
| Safety Class     |  |
| Dimmable         | No                                                                                    |
| Housing Material | Plastic                                                                               |
| Brand            | LIFUD                                                                                 |

Illumination Data

|                      |                                                                                       |
|----------------------|---------------------------------------------------------------------------------------|
| Colour Temperature   | 3000K                                                                                 |
| Lumen Output         | 300lm                                                                                 |
| Light Efficiency     | 60lm/W                                                                                |
| CRI                  | 80                                                                                    |
| Beam Angle           | 24°                                                                                   |
| Illumination Diagram |  |
| Dark Light           | Yes                                                                                   |

Packing Info

|            |     |
|------------|-----|
| Box Length | 9cm |
| Box Width  | 7cm |

|            |               |
|------------|---------------|
| Box Height | 12cm          |
| Pcs/Carton | 50            |
| Barcode    | 5291889057345 |
| HS Code    | 9405409900    |

Certification & Warranty

|                |         |
|----------------|---------|
| Warranty       | 2 Years |
| Weee Directive | Yes     |