



7W COB LED recessed spot, IP65, acoustic seal, for general application.

Suitable for bathroom installation.

Requires 700mA constant current driver.


Complies with standard EN60598-1 and any other specific standards.



### Downloads



### Dimensions



### Gallery

10107P/W/W or type unknown

Must be ordered separately



89015A

## Related items



89015AT

## Physical Specification

Item Group	02 Recessed Spots Fixed LED
Family	The 7W COB IP65 Range
Order Code	10107P/W/W
Colour	White
Material	Die Cast
Shape	Circular
Height	70mm
Diameter	83mm
Cutout Hole Diameter	68mm
Recessed Ceiling	Yes
Depth Required	105mm
Indoor	Yes
Outdoor	Yes
Adjustable	No

## Electrical Characteristics

### Fitting

Input Type	Constant Current
Input Current	700mA
Safety Class	III
Power(Watts)	7W
IP Rating	IP65
Light Source	LED built in

LED Type
LED Brand
Cable Length
F Mark

COB
Epistar
40cm


#### Illumination Data

Colour Temperature
Lumen Output
Light Efficiency
CRI
Beam Angle
Illumination Diagram
Dark Light

3000K
630lm
90lm/W
80
40°

Yes

#### Packing Info

Box Length
Box Width
Box Height
Box Weight
Pcs/Carton
Barcode
HS Code

9cm
9cm
9,5cm
0,256kg
50
5291889045311
9405409900

#### Certification & Warranty

Warranty

---

5 Years

---

Weee Directive

---

Yes

---