



5W SMD LED Decorative range recessed spot, IP20.

Complete with 350mA driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	02 Recessed Spots Fixed LED
Family	LED Decorative Range
Order Code	10107R/W/W
Colour	White
Material	Aluminium
Shape	Circular
Height	40mm
Diameter	109mm
Cutout Hole Diameter	95mm
Recessed Ceiling	Yes
Depth Required	60mm
Indoor	Yes

Adjustable

No

Electrical Characteristics

Gear

External-Included

Fitting + Driver

Input Voltage

100-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

5W

IP Rating

IP20

Light Source

LED built in

Dimmable

No

F Mark



Fitting

Input Type

Constant Current

Input Current

350mA

Voltage

12,4V

Safety Class



Power(Watts)

4,3W

IP Rating

IP20

Light Source

LED built in

LED Type

SMD 3030

LED Brand

Osram

LED Number

1

F Mark



Gear

Gear Type

Led Driver

Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	4-8W
Power Factor	0,5
Constant Current	Yes
350mA	11,5-23V
IP Rating	IP20
Safety Class	
Dimmable	No
Ambient Temp	50°C
Operating Temp	75°C
Housing Material	Plastic
Output Terminal	Connector
Brand	Eaglerise
Protection	Short Circuit Protection

Illumination Data

Colour Temperature	3000K
Lumen Output	270lm
Light Efficiency	54lm/W
CRI	80
Illumination Diagram	
Dark Light	Yes

Packing Info

Box Length	11cm
Box Width	11cm
Box Height	6,5cm
Box Weight	0,235kg

Pcs/Carton

30


Barcode

5291889046110

HS Code

9405409900

Energy Label



Certification & Warranty

Warranty

2 Years

Weee Directive

Yes