

02 Recessed Spots Fixed LED>The 8W Asymmetric Range

10108A/W/W



8W COB LED Recessed Assymetric Spot.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads









Dimensions



81mm



74mm

Gallery



Physical Specification

Item Group	02 Recessed Spots Fixed LED
Family	The 8W Asymmetric Range
Order Code	10108A/W/W
Colour	White
Material	Die Cast
Shape	Circular
Height	74mm

Diameter	81mm
Cutout Hole Diameter	68mm
Recessed Ceiling	Yes
Depth Required	85mm
Indoor	Yes
Adjustable	No
ectrical Characteristics	
Gear	External-Included
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	8W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	F
Fitting	
Input Type	Constant Current
Input Current	350mA
Voltage	20V
Safety Class	
Power(Watts)	7W
IP Rating	IP20
Light Source	LED built in
LED Type	COB
LED Brand	Cree

F Mark	F
Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	5-8,4W
Power Factor	0,9
Constant Current	Yes
350mA	14-24V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Cable
Brand	Lifud
Protection	Short Circuit and Overload
Illumination Data	
Colour Temperature	3000K
Lumen Output	560lm
Light Efficiency	70lm/W
CRI	80
Beam Angle	50°
Illumination Diagram	
Dark Light	Yes
Packing Info	
Pcs/Carton	20

HS Code	9405409900	
Certification & Warranty		
Warranty	3 Years	
Weee Directive	Yes	

5291889066224

Barcode