

02 Recessed Spots Fixed LED>The Dark Light Range

10108D1/W/W



8W COB LED Dark light recessed Spot.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads










Dimensions



Gallery



Physical Specification

02 Recessed Spots Fixed LED
The Dark Light Range
10108D1/W/W
White
Die Cast
Circular
85mm

Diameter	88mm
Cutout Hole Diameter	73mm
Recessed Ceiling	Yes
Depth Required	105mm
Indoor	Yes
Adjustable	No
Electrical Characteristics	
Gear	External-Included
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	8W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	F
Fitting	
Input Type	Constant Current
Input Current	300mA
Voltage	24V
Safety Class	
Power(Watts)	7,2W
IP Rating	IP20
Light Source	LED built in
LED Type	СОВ
LED Brand	Sanan

F Mark	F
Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	8,75-15,2W
Power Factor	0,9
Constant Current	Yes
300mA	14-24V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Cable
Brand	Lifud
Protection	Short Circuit and Overload
Illumination Data	
Colour Temperature	3000K
Lumen Output	560lm
Light Efficiency	70lm/W
CRI	80
Beam Angle	36°
Illumination Diagram	
Dark Light	Yes
Packing Info	
Pcs/Carton	50

Certification & Warranty		
Warranty	3 Years	
Weee Directive	Yes	

5291889063537

9405409900

Barcode

HS Code