



12W Dark Light COB LED recessed spot with interchangeable reflector.

Reflector must be ordered separately.

Requires 700mA driver.


Complies with standard EN60598-1 and any other specific standards.



### Downloads



### Dimensions



### Must be ordered separately



10112LR/B



10112LR/BS




10112LR/C



10112LR/CU



10112LR/G



10112LR/W



89015A

## Related items



89015AT

## Physical Specification

Item Group	02 Recessed Spots Fixed LED
Family	The COB Dark Light Range Interchangeable Reflector
Order Code	10112L/B/W
Colour	Black
Material	Aluminium
Shape	Circular
Height	96mm
Diameter	85mm
Cutout Hole Diameter	75mm
Recessed Ceiling	Yes
Depth Required	100mm
Indoor	Yes
Adjustable	No

## Electrical Characteristics

### Fitting


Input Type	Constant Current
Input Current	700mA
Safety Class	III
Power(Watts)	12W
IP Rating	IP20
Light Source	LED built in
LED Type	COB

LED Brand
LED Number
Cable Length
F Mark

Epistar
1
40cm


#### Illumination Data

Colour Temperature
Lumen Output
Light Efficiency
CRI
Beam Angle
Illumination Diagram
Dark Light

3000K
1100lm
91,67lm/W
80
40°

Yes

#### Packing Info

Box Length
Box Width
Box Height
Box Weight
Pcs/Carton
Barcode
HS Code

9cm
9cm
11cm
0,299kg
50
5291889048633
9405409900

#### Certification & Warranty

Warranty

---

3 Years

---

Weee Directive

---

Yes

---