



20W Recessed Dark Light LED spot with black and brass reflector, IP20.

Supplied with Black & Brass reflectors.

Complete with 500mA driver.


Complies with standard EN60598-1 and any other specific standards.




Downloads



Dimensions



Gallery



Physical Specification

Item Group

02 Recessed Spots Fixed LED

Family

The Retro Dark Light Range

Order Code

10120Z/W/W

Colour

White

Material

Die Cast + Plastic

Shape



Circular


Height

85mm

| | |
|----------------------|-------|
| Diameter | 118mm |
| Cutout Hole Diameter | 105mm |
| Recessed Ceiling | Yes |
| Depth Required | 105mm |
| Indoor | Yes |
| Adjustable | No |

Electrical Characteristics

| Gear | External-Included |
|------------------|---|
| Fitting + Driver | |
| Input Voltage | 220-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Safety Class |  |
| Power(Watts) | 20W |
| IP Rating | IP20 |
| Light Source | LED built in |
| Dimmable | No |
| F Mark |  |

| Fitting | |
|---------------|---|
| Input Type | Constant Current |
| Input Current | 500mA |
| Voltage | 37,2V |
| Safety Class |  |
| Power(Watts) | 18,6W |
| IP Rating | IP20 |
| Light Source | LED built in |
| LED Type | COB |
| LED Brand | Cree |

Gear

Gear Type

Led Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Power(Watts)

12,5-20W

Power Factor

0,5

Constant Current

Yes

500mA

25-40V

IP Rating

IP20

Safety Class



Dimmable

No

Housing Material

Plastic

Output Terminal

Cable

Brand

Lifud

Illumination Data

Colour Temperature

3000K

Lumen Output

1600lm

Light Efficiency

80lm/W

CRI

80

Beam Angle

45°

Illumination Diagram



Dark Light

Yes

Packing Info

Box Length


16cm

Box Width

13,5cm

| | |
|------------|---------------|
| Box Height | 10cm |
| Pcs/Carton | 20 |
| Barcode | 5291889059028 |
| HS Code | 9405409900 |

Energy Label



Certification & Warranty

| | |
|----------------|---------|
| Warranty | 3 Years |
| Weee Directive | Yes |