



30W COB LED project round range downlight, IP53.

Complete with 700mA dimmable driver.


Complies with standard EN60598-1 and any other specific standards.



#### Downloads



#### Dimensions



#### Gallery



#### Physical Specification

Item Group

06 Downlights Fixed LED

Family

The COB Project Round Range Dimmable

Order Code

10130KA/W/W

Colour

White

Material

Die Cast

Shape



Circular


Height

180mm

Diameter	242mm
Cutout Hole Diameter	210mm
Recessed Ceiling	Yes
Depth Required	210mm
Indoor	Yes
Adjustable	No

## Electrical Characteristics

Gear	External-Included
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	30W
IP Rating	IP53
Light Source	LED built in
Dimmable	Yes
Dimmer type	Triac
F Mark	

Fitting	
Input Type	Constant Current
Input Current	700mA
Voltage	36V
Safety Class	
Power(Watts)	25,2W
IP Rating	IP53
Light Source	LED built in
LED Brand	GH

## Gear

Gear Type

Led Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Power(Watts)

24,5-29,4W

Power Factor

0,9

Constant Current

Yes

700mA

35-42V

IP Rating

IP20

Safety Class



Dimmable

No

Ambient Temp

40°C

Operating Temp

80°C

Housing Material

Plastic

Output Terminal

Cable

## Illumination Data

Colour Temperature

3000K

Lumen Output

2000lm

Light Efficiency

66,67lm/W

CRI

80

Beam Angle

100°

Illumination Diagram



## Packing Info

Box Length


25cm

Box Width

25cm

Box Height	20cm
Box Weight	1,83kg
Pcs/Carton	12
Barcode	5291889033509
HS Code	9405409900

## Energy Label



## Certification & Warranty

Warranty	2 Years
Weee Directive	Yes