

04 Recessed Spots Adjustable LED>The 1W Mini Series Aluminium

11101B/D/35



1W LED adjustable recessed spot, mini series range, IP20.

Requires 350mA driver.

Complies with standard EN60598-1 and any other specific standards.





Must be ordered separately



89004



Physical Specification

Item Group

04 Recessed Spots Adjustable LED

| Family | The 1W Mini Series Aluminium |
|------------|------------------------------|
| Order Code | 11101B/D/35 |
| Colour | Black |
| Material | Aluminium |
| Shape | Circular |

| Height | 30mm |
|----------------------|-------------|
| Diameter | 52mm |
| Cutout Hole Diameter | 45mm |
| Recessed Ceiling | Yes |
| Depth Required | 40mm |
| Indoor | Yes |
| Adjustable | 1 Direction |

Electrical Characteristics

Fitting

| Input Type | Constant Current |
|---------------|------------------|
| Input Current | 350mA |
| Safety Class | |
| Power(Watts) | 1W |
| IP Rating | IP20 |
| Light Source | LED built in |
| LED Number | 1 |
| Cable Length | 40cm |
| F Mark | F |

Illumination Data

| Colour Temperature | 6000K |
|--------------------|--------|
| Lumen Output | 60lm |
| Light Efficiency | 60lm/W |

| Beam Angle | 35° |
|----------------------|-----|
| Illumination Diagram | |

| Packing Info | |
|--------------|--|
| | |

Pcs/Carton

100


| Barcode |
|---------|
|---------|

HS Code

5291889021872

9405409900

Energy Label



Certification & Warranty