



3W LED Recessed Moving Inner Cylinder Range adjustable LED Spot, IP20.

Requires 350mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads




Dimensions



Gallery



Must be ordered separately





89004

Physical Specification

| | |
|----------------------|----------------------------------|
| Item Group | 04 Recessed Spots Adjustable LED |
| Family | Moving Inner Cylinder Range |
| Order Code | 11103M/W/W |
| Colour | White |
| Material | Aluminium |
| Shape | Circular |
| Cutout Hole Diameter | 44mm |
| Recessed Ceiling | Yes |
| Depth Required | 35mm |
| Indoor | Yes |
| Adjustable | 2 Directions |


Electrical Characteristics

Fitting

| | |
|---------------|---|
| Input Type | Constant Current |
| Input Current | 350mA |
| Safety Class |  |
| Power(Watts) | 3W |
| IP Rating | IP20 |
| Light Source | LED built in |
| LED Type | COB |
| LED Brand | Citizen |
| LED Number | 1 |
| Cable Length | 40cm |
| F Mark |  |

Illumination Data


| | |
|--------------------|-------|
| Colour Temperature | 3000K |
|--------------------|-------|

| | |
|----------------------|---|
| Lumen Output | 280lm |
| Light Efficiency | 93,33lm/W |
| CRI | 90 |
| Beam Angle | 36° |
| Illumination Diagram |  |
| Dark Light | Yes |

Packing Info

| | |
|------------|---------------|
| Box Length | 6,5cm |
| Box Width | 6,5cm |
| Box Height | 6,5cm |
| Box Weight | 0,085Kg |
| Pcs/Carton | 100 |
| Barcode | 5291889055242 |
| HS Code | 9405409900 |

Energy Label



Warranty

3 Years

Weee Directive

Yes
