

# 04 Recessed Spots Adjustable LED>The 3x1W Glass Lens Spots

# 11103N/B/W/35



3x1W LED glass lens adjustable recessed spot, IP20.

Requires 350mA driver.

Complies with standard EN60598-1 and any other specific standards.




### Downloads







### Dimensions



## Gallery





### Must be ordered separately



89004

# Physical Specification 04 Recessed Spots Adjustable LED Item Group Family The 3x1W Glass Lens Spots Order Code 11103N/B/W/35 Colour Black Material Aluminium Diffuser Material Glass Circular Shape Height 40mm Diameter 80mm Cutout Hole Diameter 70mm Recessed Ceiling Yes Depth Required 50mm

Yes

1 Direction

# **Electrical Characteristics**

Indoor

Adjustable


Fitting	
Input Type	Constant Current
Input Current	350mA
Safety Class	ŢIII>
Power(Watts)	3W
IP Rating	IP20
Light Source	LED built in
LED Number	3
Cable Length	40cm
F Mark	F

# Illumination Data

Colour Temperature	3000K
Lumen Output	135lm
Light Efficiency	45lm/W
Beam Angle	35°
Illumination Diagram	

# Packing Info Pcs/Carton 100 Barcode 5291889023210 HS Code 9405409900

# Energy Label



# Certification & Warranty

Warranty	2 Years
Weee Directive	Yes