



7W COB LED recessed adjustable spot, for general lighting applications.

Requires 700mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Must be ordered separately



89015A

Related items



89015AT

Physical Specification

Item Group	04 Recessed Spots Adjustable LED
Family	The COB Cylinders
Order Code	11107RA/W/W
Colour	White
Material	Aluminium
Shape	Circular
Height	90mm
Diameter	60mm
Cutout Hole Diameter	45mm
Recessed Ceiling	Yes
Depth Required	40mm
Indoor	Yes
Adjustable	2 Directions

Electrical Characteristics


Fitting	
Input Type	Constant Current
Input Current	700mA
Voltage	10V
Safety Class	III
Power(Watts)	7W
IP Rating	IP20
Light Source	LED built in

LED Type
LED Brand
F Mark

COB
Citizen


Illumination Data

Colour Temperature
Lumen Output
Light Efficiency
CRI
Beam Angle
Illumination Diagram
Dark Light

3000K
500lm
71,42lm/W
90
36°

Yes

Packing Info

Box Length
Box Width
Box Height
Box Weight
Pcs/Carton
Barcode
HS Code

6,5cm
6,5cm
12,5cm
0,225kg
36
5291889050681
9405409900

Certification & Warranty

Warranty
Weee Directive

5 Years
Yes