

04 Recessed Spots Adjustable LED>The IP54 COB Outdoor/Bathroom Range Die cast

11107WD/W/W



7W LED Dark Light Recessed adjustable spot, IP54.

Requires 700mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Must be ordered separately



89015A

Related items



89015AT

Physical Specification

Item Group	04 Recessed Spots Adjustable LED
Family	The IP54 COB Outdoor/Bathroom Range Die cast
Order Code	11107WD/W/W
Colour	White
Material	Die Cast
Shape	Circular
Height	83mm
Diameter	90mm
Cutout Hole Diameter	83mm
Recessed Ceiling	Yes
Depth Required	100mm
Indoor	Yes
Outdoor	Yes
Adjustable	1 Direction

Electrical Characteristics

Fitting

Input Type	Constant Current
Input Current	700mA
Safety Class	III
Power(Watts)	7W
IP Rating	IP54
Light Source	LED built in

LED Type
LED Brand
LED Number
Cable Length
F Mark

COB
Bridgelux
1
40cm


Illumination Data

Colour Temperature
Lumen Output
Light Efficiency
CRI
Beam Angle
Illumination Diagram
Dark Light

3000K
600lm
85,7lm/W
90
36°

Yes

Packing Info

Box Length
Box Width
Box Height
Box Weight
Pcs/Carton
Barcode
HS Code

10,5cm
9,5cm
9,5cm
0,310Kg
36
5291889050698
9405409900

Warranty

3 Years

Weee Directive

Yes
