



9W COB LED recessed spot IP20.

Requires 500mA driver.

Complete with Black & Brass reflectors.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Must be ordered separately



89015C



89015CT





89020C

Physical Specification

Item Group	04 Recessed Spots Adjustable LED
Family	The COB Recessed Cylinders
Order Code	11109B/W/W
Colour	White
Material	Aluminium
Shape	Circular
Height	134mm
Diameter	136mm
Cutout Hole Diameter	120mm
Recessed Ceiling	Yes
Depth Required	90mm
Indoor	Yes
Adjustable	2 Directions

Electrical Characteristics

Fitting

Input Type	Constant Current
Input Current	500mA
Safety Class	
Power(Watts)	9W
IP Rating	IP20
Light Source	LED built in
LED Type	COB
LED Brand	Bridgelux
LED Number	1
Cable Length	40cm
F Mark	

Illumination Data

Colour Temperature	3000K
--------------------	-------

Lumen Output	675lm
--------------	-------

Light Efficiency	75lm/W
------------------	--------

CRI	90
-----	----

Beam Angle	40°
------------	-----

Illumination Diagram	
----------------------	---

Dark Light	Yes
------------	-----

Packing Info

Pcs/Carton	12
------------	----

Barcode	5291889068716
---------	---------------

HS Code	9405409900
---------	------------

Certification & Warranty

Warranty	5 Years
----------	---------

Weee Directive	Yes
----------------	-----