



12W IP65 Dark light COB LED Recessed Adjustable Spot.

Requires 700mA driver.

Complies with standard EN60598-1 and any other specific standards



#### Downloads



#### Dimensions



Must be ordered separately



89015A

#### Related items



89015AT

#### Physical Specification


Item Group

04 Recessed Spots Adjustable LED


Family	The IP65 COB Dark Light Range
Order Code	11112P/W/W
Colour	White
Material	Aluminium
Shape	Circular
Height	80mm
Diameter	85mm
Cutout Hole Diameter	72mm
Recessed Ceiling	Yes
Depth Required	100mm
Indoor	Yes
Outdoor	Yes
Adjustable	1 Direction

## Electrical Characteristics

### Fitting

Input Type	Constant Current
Input Current	700mA
Voltage	18,5V
Safety Class	
Power(Watts)	12W
IP Rating	IP65
Light Source	LED built in
LED Type	COB
LED Brand	Bridgelux
LED Number	1
Cable Length	40cm
F Mark	

## Illumination Data

Colour Temperature	3000K
Lumen Output	1100lm
Light Efficiency	91,67lm/W
CRI	90
Beam Angle	40°
Illumination Diagram	
Dark Light	Yes

#### Packing Info

Box Length	10cm
Box Width	9cm
Box Height	10,5cm
Pcs/Carton	48
Barcode	5291889070092
HS Code	9405409900

#### Certification & Warranty

Warranty	5 Years
Weee Directive	Yes