



12W COB LED recessed adjustable spot, white with black reflector for general lighting applications.

Requires 350mA constant current LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Must be ordered separately



89015

Related items



89011D



89015T

Physical Specification

Item Group	04 Recessed Spots Adjustable LED
------------	----------------------------------



Family
Order Code
Colour
Material
Shape
Height
Diameter
Cutout Hole Diameter
Recessed Ceiling
Depth Required
Indoor
Adjustable

The COB Cylinders
11112RB/W/W
White
Aluminium
Circular
155mm
65
55mm
Yes
50mm
Yes
2 Directions


Electrical Characteristics

Fitting

Input Type
Input Current
Voltage
Safety Class
Power(Watts)
IP Rating
Light Source
LED Type
LED Brand
LED Number
Cable Length
F Mark

Constant Current
350mA
34,4V

12W
IP20
LED built in
COB
Citizen
1
40cm


Illumination Data

Colour Temperature	3000K
Lumen Output	1020lm
Light Efficiency	85lm/W
CRI	90
Beam Angle	36°
Illumination Diagram	
Dark Light	Yes

Packing Info

Box Length	9,5cm
Box Width	9,5cm
Box Height	62cm
Pcs/Carton	18
Barcode	5291889058304
HS Code	9405409900

Certification & Warranty

Warranty	5 Years
Weee Directive	Yes