



3x3W LED adjustable recessed spot, IP20.

Requires 700mA driver.


Complies with standard EN60598-1 and any other specific standards.



## Downloads



## Dimensions



## Gallery



## Must be ordered separately



89015A

## Physical Specification

Item Group	04 Recessed Spots Adjustable LED
Family	The 3xLED Round Spots Aluminium
Order Code	11303L/AL/D/35
Colour	Aluminium
Material	Natural Aluminium
Shape	Circular
Height	80mm
Diameter	80mm
Cutout Hole Diameter	70mm
Recessed Ceiling	Yes
Depth Required	100mm
Indoor	Yes
Adjustable	1 Direction

## Electrical Characteristics

## Fitting

Input Type	Constant Current
Input Current	700mA
Safety Class	
Power(Watts)	9W
IP Rating	IP20
Light Source	LED built in
LED Number	3
Cable Length	40cm
F Mark	

## Illumination Data


Colour Temperature	6000K
--------------------	-------

Lumen Output	360lm
Light Efficiency	40lm/W
Beam Angle	35°
Illumination Diagram	

## Packing Info

Pcs/Carton	30
Barcode	5291889027577
HS Code	9405409900

## Energy Label



## Certification & Warranty

Warranty	2 Years
Weee Directive	Yes