



10W MR16 GU10 cylinder downlight.

Reflector must be ordered separately.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Must be ordered separately



050112/ABS



050112/B




050112/BS




050112/CU



050112/DC



050112/G



050112/GL





050112/W

Physical Specification

Item Group	13 Wall & Ceiling
Family	The Chill Out Cylinder GU10
Order Code	12105MA/BBS
Colour	Brushed Brass
Material	Aluminium
Diffuser Material	Plastic
Shape	Circular
Height	250mm
Diameter	75mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No

Electrical Characteristics

Gear	No
Fitting + Driver	
Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	10W
IP Rating	IP20
Light Source	Replaceable lamp
Lamp Holder	GU10
Number of Lamps	1
Dimmable	N/A
F Mark	

Illumination Data

Illumination Diagram



Dark Light

Yes

Packing Info

Box Length

8cm

Box Width

8cm

Box Height

26cm

Pcs/Carton

20


Barcode

5291889063728

HS Code

9405409900

Energy Label



Certification & Warranty

Warranty

5 Years

Weee Directive

Yes