



7W COB LED cylinder, with a modern design, ideal for residential and commercial illumination.

Complete with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Physical Specification

Item Group

Family

Order Code

Colour

Material

Shape

Height

Special Offers

Wall & Ceiling LED

12106L/W/W

White

Aluminium

Circular

89mm

Diameter	110mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No

Electrical Characteristics

Gear	Built In
Fitting + Driver	
Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	7W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	

Fitting	
Input Type	Constant Current
Power(Watts)	6,6W
IP Rating	IP20
Light Source	LED built in
LED Brand	Bridgelux

Gear	
Gear Type	Led Driver
Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes

Power(Watts)	7W
Power Factor	0,8
Constant Current	Yes
IP Rating	IP20
Safety Class	


Illumination Data

Colour Temperature	3000K
Lumen Output	560lm
Light Efficiency	80lm/W
CRI	80
Beam Angle	35°
Illumination Diagram	

Packing Info

Box Weight	0,78Kg
Pcs/Carton	12
Barcode	5291889032663
HS Code	9405409900

Energy Label



Warranty

2 Years

Weee Directive

Yes
