elights

12110D/W/W

10W COB LED cylinder, with a modern design, ideal for residential and commercial illumination.

Complete with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.

IP20 85 CRI ADJUSTABLE CE

Downloads

IES

CE

Dimensions

90mm

140mm

Physical Specification

Item Group	14 Wall & Ceiling LED
Family	The COB Indoor Round Cylinders
Order Code	12110D/W/W
Colour	White
Material	Die Cast
Shape	Circular
Height	140mm
Diameter	90mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	2 Directions

Electrical Characteristics

Gear	Built In

Fitting + Driver

Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	10W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	

Fitting

Input Type	Constant Current
Input Current	500mA
Voltage	18V
Power(Watts)	9W
IP Rating	IP20
Light Source	LED built in
LED Type	COB
LED Brand	Citizen

Gear

Gear Type	Led Driver
Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	4-12W
Power Factor	0,95

Constant Current	Yes
500mA	8-24V
IP Rating	IP20
Safety Class	▢
Dimmable	No
Ambient Temp	-20~50°C
Operating Temp	80°C
Brand	ACTEC

Illumination Data

Colour Temperature	3000K
Lumen Output	800lm
Light Efficiency	80lm/W
CRI	85
Beam Angle	36°
Illumination Diagram	

Packing Info

Box Length	11cm
Box Width	11cm
Box Height	16,5cm
Box Weight	0,85Kg
Pcs/Carton	18
Barcode	5291889045274
HS Code	9405409900

Energy Label

This luminaire contains built-in LED lamps.

A++
A+
A
B
C
D
E

LED

The lamps cannot be changed in the luminaire.

874/2012

Certification & Warranty

Warranty	2 Years
Weee Directive	Yes