

12W COB LED rectangular ceiling downlight, ideal for residential and commercial illumination.

Supplied with Black & Brass reflectors.

Complete with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.




Downloads



Dimensions



Gallery



Physical Specification

Item Group

14 Wall & Ceiling LED

Family

The Retro Dark Light Square Cylinders

Order Code

12112ZA/W/W

Colour

White

Material

Die Cast + Plastic

Shape



Rectangular

Length

73mm


Width	73mm
Height	95mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No

Electrical Characteristics


Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	12W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	

Fitting	
Input Type	Constant Current
Input Current	300mA
Voltage	35,9V
Power(Watts)	10,8W
IP Rating	IP20
Light Source	LED built in
LED Type	COB
LED Brand	Cree

Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	7,5-12,6W
Power Factor	0,5
Constant Current	Yes
300mA	25-42V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Brand	Lifud

Illumination Data

Colour Temperature	3000K
Lumen Output	960lm
Light Efficiency	80lm/W
CRI	80
Beam Angle	45°
Illumination Diagram	
Dark Light	Yes

Packing Info

Box Length	8cm
Box Width	8cm
Box Height	15,5cm
Pcs/Carton	30
Barcode	5291889059127
HS Code	9405409900

Energy Label



Certification & Warranty

Warranty

2 Years

Weee Directive

Yes