



18W LED fitting ideal for installation above the bathroom mirror, IP44.

Supplied with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



### Downloads



### Dimensions



### Gallery



### Physical Specification

Product Type

Item Group

Family

Order Code

Colour

Material

Diffuser Material

Fitting

16 Bathroom & Mirror

The Mirror LED Range

38114CL/C

Chrome

Die Cast

Acrylic

Shape	Circular
Height	620mm
Diameter	42mm
Surface Wall	Yes
Indoor	Yes

## Electrical Characteristics

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	18W
IP Rating	IP44
Light Source	LED built in
Dimmable	No
F Mark	

Fitting	
Input Type	Constant Current
Input Current	250mA
Voltage	68V
Power(Watts)	17W
IP Rating	IP44
Light Source	LED built in
LED Type	SMD 2835
LED Brand	Epistar

Gear
------

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	11,2-19W
Power Factor	0,9
Constant Current	Yes
250mA	45-75V
IP Rating	IP20
Safety Class	
Dimmable	No
Manufacturer	3AAA


#### Illumination Data

Colour Temperature	4000K
Lumen Output	1300lm
Light Efficiency	72,22lm/W
CRI	80
Illumination Diagram	

#### Packing Info

Box Length	64,5cm
Box Width	10,5cm
Box Height	6,5cm
Box Weight	0,980kg
Pcs/Carton	6
Barcode	5291889054580
HS Code	9405409900

#### Energy Label



## Certification & Warranty

Warranty

2 Years

Wee Directive

Yes