

Complete with non-dimmable LED driver.

Connect Maximum 5pcs at 110V & 10pcs at 230V




 IP20
 ⁷⁵




IES Camera CE

Technical drawing of a rectangular container. The dimensions are indicated as follows: length is 300mm, width is 45mm, and height is 36mm. The container is shown partially filled with a dark substance.

A white LED strip light is shown with its power cable and two mounting brackets. The power cable has a standard three-prong electrical plug and a connector for the LED strip. The mounting brackets are used to secure the LED strip to a surface.

Item Group

09 LED Strips & Profiles

Family

The 230V Solid Double LED Strip Aluminium + PC

Order Code

38207L/W

Material

Aluminium

Diffuser Material

PC

Shape	Rectangular
Length	300mm
Width	45mm
Height	36mm
Surface Ceiling	Yes
Surface Wall	Yes
Indoor	Yes

Electrical Characteristics

Gear	Built In
Fitting + Driver	
Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	7W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	

Fitting	
Input Type	Constant Current
Power(Watts)	7W
IP Rating	IP20
Light Source	LED built in

Gear	
Gear Type	Led Driver
Input Voltage	100-240V

50 Hz
60 Hz
Power(Watts)
Constant Current
IP Rating
Safety Class
Dimmable

Yes
Yes
7W
Yes
IP20

No

Illumination Data

Colour Temperature
Lumen Output
Light Efficiency
CRI
Illumination Diagram


3000K
490lm
70lm/W
75


Packing Info

Pcs/Carton
Barcode
HS Code

30
5291889031390
9405409900

Energy Label



Warranty	2 Years
Weee Directive	Yes