

02 Recessed Spots Fixed LED>Mirror Square Boxes

50406B/W/W



Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads	Dimensions
	93mm 93mm 93mm 47mm

Physical Specification

Item Group	02 Recessed Spots Fixed LED
Family	Mirror Square Boxes
Order Code	50406B/W/W
Colour	White
Material	Die Cast
Shape	Rectangular
Length	93mm

Width	93mm
Height	47mm
Cutout Hole Width	85mm
Cutout Hole Length	85mm
Recessed Ceiling	Yes

Depth Required	70mm
Indoor	Yes
Adjustable	No

Electrical Characteristics

Gear	External-Included
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	16W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	F
Fitting	

Input Type	Constant Current
Input Current	400mA
Voltage	35,6V
Safety Class	
Power(Watts)	14,2W
IP Rating	IP20

Light Source	LED built in
LED Type	СОВ
LED Brand	Cree
LED Number	4
F Mark	F

Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	8-16W
Power Factor	0,9
Constant Current	Yes
400mA	20-40V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Cable
Brand	Lifud

Illumination Data

Colour Temperature	3000K
Lumen Output	1280lm
Light Efficiency	80lm/W
CRI	90
Beam Angle	38°
Illumination Diagram	

Pcs/Carton	36
Barcode	5291889063995
HS Code	9405409900

Certification & Warranty	
Warranty	3 Years
Weee Directive	Yes