



Recessed adjustable MR11 spot with GU4 lampholder.


Complies with standard EN60598-1 and any other specific standards.



## Downloads



## Dimensions



## Physical Specification

|                      |                                      |
|----------------------|--------------------------------------|
| Item Group           | 03 Recessed Spots Adjustable         |
| Family               | The Dual Ring Range Aluminium Square |
| Order Code           | 51103AB/AL                           |
| Colour               | Aluminium                            |
| Material             | Natural Aluminium                    |
| Shape                | Rectangular                          |
| Length               | 70mm                                 |
| Width                | 70mm                                 |
| Height               | 20mm                                 |
| Cutout Hole Diameter | 60mm                                 |
| Recessed Ceiling     | Yes                                  |
| Depth Required       | 60mm                                 |

Indoor

Yes

Adjustable

2 Directions

## Electrical Characteristics

### Fitting

Input Type

Constant Voltage

Input Voltage

12V AC/DC

Safety Class



Power(Watts)

35W

IP Rating

IP20

Light Source

Replaceable lamp

Lamp Holder

GU4

Number of Lamps

1

Cable Length

40cm

## Illumination Data

Illumination Diagram



## Packing Info

Pcs/Carton

50

Barcode

5291889017783

HS Code

9405409900

Warranty

---

5 Years

---

Weee Directive

---

Yes

---