



2x12W LED Dark Light Recessed adjustable spot, IP20.

Requires 700mA driver.

Complies with standard EN60598-1 and any other specific standards.



### Downloads



### Dimensions



### Gallery



### Must be ordered separately



89015A

## Related items



89015AT


## Physical Specification

Item Group	04 Recessed Spots Adjustable LED
Family	The COB Shop & Hotel Range
Order Code	51212E/W/W
Colour	White
Material	Die Cast
Shape	Rectangular
Length	188mm
Width	100mm
Height	93mm
Cutout Hole Width	175mm
Cutout Hole Length	90mm
Recessed Ceiling	Yes
Depth Required	105mm
Indoor	Yes
Adjustable	2 Directions


## Electrical Characteristics

### Fitting

Input Type	Constant Current
Input Current	700mA
Safety Class	III
Power(Watts)	12W
IP Rating	IP44

Light Source	LED built in
LED Type	COB
LED Brand	Epistar
LED Number	1
Cable Length	40cm
F Mark	

### Illumination Data

Colour Temperature	3000K
Lumen Output	2x1100lm
Light Efficiency	91,67lm/W
CRI	90
Beam Angle	40°
Illumination Diagram	
Dark Light	Yes

### Packing Info

Box Length	20cm
Box Width	12,5cm
Box Height	10,5cm
Box Weight	0,650Kg
Pcs/Carton	24
Barcode	5291889047360
HS Code	9405409900

Warranty

---

5 Years

---

Weee Directive

---

Yes

---