



2x20W COB LED Recessed adjustable downlight, COB square range, IP20.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Physical Specification		
Item Group	08 Downlights Adjustable LED	
Family	The COB Box Type Shop Range	
Order Code	51220/G/W	
Colour	Grey	
Material	Aluminium	
Shape	Rectangular	
Length		354mm

Width	190mm
Height	100mm
Cutout Hole Width	330mm
Cutout Hole Length	165mm
Recessed Ceiling	Yes
Depth Required	140mm
Indoor	Yes
Adjustable	2 Directions

Electrical Characteristics

Gear	External-Included
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	2x20W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	

Fitting	
Input Type	Constant Current
Input Current	500mA
Voltage	2x37,3V
Safety Class	
Power(Watts)	2x18,65W
IP Rating	IP20
Light Source	LED built in

LED Type	COB
LED Brand	Sanan
Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	13,5-21W
Power Factor	0,9
Constant Current	Yes
500mA	27-42V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic

Illumination Data


Colour Temperature	3000K
Lumen Output	2x1400lm
Light Efficiency	70lm/W
CRI	80
Beam Angle	36°
Illumination Diagram	

Packing Info

Box Length	40cm
Box Width	23cm
Box Height	17cm
Box Weight	2,35kg

Pcs/Carton	8
Barcode	5291889041139
HS Code	9405409900

Energy Label



Certification & Warranty

Warranty	2 Years
Weee Directive	Yes