



32W LED Decorative Plafo, IP20, suitable for residential and commercial application.

Supplied with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	15 Plafo
Family	The LED Decorative Plafo Round
Order Code	62132N/AN/W
Colour	Anthracite
Material	Aluminium
Shape	Circular
Height	132mm
Diameter	455mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No

Gear	External-Included
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	32W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	
Fitting	
Input Type	Constant Current
Input Current	800mA
Voltage	40V
Power(Watts)	32W
IP Rating	IP20
Light Source	LED built in
LED Type	SMD 2835
LED Brand	Bridgelux
F Mark	
Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	26,4-35,2W

Power Factor	0,9
Constant Current	Yes
800mA	33-44V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Cable
Brand	TRIDONIC

Illumination Data

Colour Temperature	3000K
Lumen Output	2720lm
Light Efficiency	85lm/W
CRI	80
Illumination Diagram	

Packing Info

Pcs/Carton	1
Barcode	5291889046806
HS Code	9405409900

Certification & Warranty

Warranty
Average Lifetime
Weee Directive

3 Years
30000hours
Yes