



42W LED Pendant , IP20 suitable for residential and commercial application .

Complete with 1000mA driver.

Complies with standard EN60598-1 and any other specific standards.



## Downloads



## Dimensions



## Physical Specification

Item Group	18 Decorative
Family	LED Pendant Rings
Order Code	62142NB/W/W
Colour	White
Material	Aluminium
Shape	Circular
Height	108mm
Diameter	600mm
Suspended Ceiling	Yes
Indoor	Yes
Adjustable	No

## Gear

## Built In

## Fitting + Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

42W

IP Rating

IP20

Light Source

LED built in

Dimmable

No

F Mark



## Fitting

Input Type

Constant Current

Input Current

1000mA

Voltage

40V

Power(Watts)

48W

IP Rating

IP20

Light Source

LED built in

LED Type

SMD 2835

LED Brand

Epistar

F Mark



## Gear

Gear Type

Led Driver

Input Voltage

220-240V

50 Hz


Yes

60 Hz


Yes

Power(Watts)

27-42W

Power Factor	0,9
Constant Current	Yes
1000mA	27-42V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Cable
Brand	Lifud

### Illumination Data

Colour Temperature	3000K
Lumen Output	2520lm
Light Efficiency	60lm/W
CRI	80
Illumination Diagram	

### Packing Info

Box Length	65cm
Box Width	65cm
Box Height	16cm
Box Weight	3,8Kg
Pcs/Carton	1
Carton Length	65cm
Carton Width	65cm
Carton Height	16cm
Carton Weight	3,8Kg
Barcode	5291889046844
HS Code	9405409900

## Energy Label



## Certification & Warranty

Warranty

3 Years

Weee Directive

Yes