



40W LED Pendant , IP20 suitable for residential and commercial application .

Complete with 24V driver.

Complies with standard EN60598-1 and any other specific standards.



## Downloads





## Dimensions





## Physical Specification

Item Group	18 Decorative
Family	LED Pendant Rings
Order Code	63050/B
Colour	Black
Material	Aluminium + Steel
Shape	Circular
Diameter	700mm
Suspended Ceiling	Yes
Indoor	Yes
Adjustable	No

## Electrical Characteristics

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	40W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	

Fitting	
Input Type	Constant Voltage
Input Voltage	24V DC
Safety Class	
Power(Watts)	40W
IP Rating	IP20
Light Source	LED built in
LED Type	SMD 2835
LED Brand	Epistar
F Mark	

Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	40W
Power Factor	0,9
Constant Voltage	Yes

24 V
IP Rating
Safety Class
Dimmable
Housing Material
Output Terminal
Brand

Yes
IP20

No
Plastic
Cable
Anway

### Illumination Data

Colour Temperature
Lumen Output
Light Efficiency
CRI
Illumination Diagram


3000K
2250lm
56,25lm/W
80


### Packing Info

Pcs/Carton
Barcode
HS Code

1
5291889056614
9405409900

### Energy Label



Warranty

---

2 Years

---

Weee Directive

---

Yes

---