



40W LED Decorative Pendant.

Complete with 24V driver.

Complies with standard EN60598-1 and any other specific standards.



## Downloads



## Dimensions



## Physical Specification

Item Group	18 Decorative
Family	The Swirl Range
Order Code	63068A/BS
Colour	Brass
Material	Aluminium + Steel
Diffuser Material	Acrylic
Shape	Circular
Height	1500mm
Diameter	750mm
Suspended Ceiling	Yes
Indoor	Yes
Adjustable	No

## Gear

## Built In

## Fitting + Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

40W

IP Rating

IP20

Light Source

LED built in

Dimmable

No

F Mark



## Fitting

Input Type

Constant Voltage

Input Voltage

24V DC

Safety Class



Power(Watts)

40W

IP Rating

IP20

Light Source

LED built in

LED Type

SMD 2835

LED Brand

Epistar

## Gear

Gear Type

Led Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz


Yes

Power(Watts)


40W

Power Factor

0,9

Constant Voltage	Yes
24 V	Yes
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Connector
Brand	ANWAY


## Illumination Data

Colour Temperature	3000K
Lumen Output	2400lm
Light Efficiency	60lm/W
CRI	80
Illumination Diagram	

## Packing Info

Pcs/Carton	1
Barcode	5291889066729
HS Code	9405409900

## Energy Label



Warranty

---

2 Years

---

Weee Directive

---

Yes

---