

## 10 Track Spots>LED Linear Track Light

## 65018T/W/W



LED Linear track light, high lumen output ideal for shops and showrooms.

Complete with driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads









Dimensions



## Related items







40003A/W

## **Physical Specification**

Item Group	10 Track Spots
Family	LED Linear Track Light
Order Code	65018T/W/W
Colour	White
Material	Aluminium
Diffuser Material	PC
Shape	Rectangular

Length	650mm
Width	30mm
Height	30mm
Track mounted	Yes
Indoor	Yes
Adjustable	No
Electrical Characteristics	
Electrical Characteristics	
Gear	Built In
Fitting + Driver	
Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	16W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
Fitting	
Input Type	Constant Current
Input Current	400mA
Voltage	38V
Power(Watts)	15,2W
IP Rating	IP20
Light Source	LED built in
LED Type	SMD 2835
Gear	
Gear Type	Led Driver

Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	9,6-16W
Power Factor	0,9
Constant Current	Yes
400mA	24-40V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Connector
Ilumination Data	
Colour Temperature	3000K
Lumen Output	1600lm
Lumen Output  Light Efficiency	1600lm 100lm/VV
Light Efficiency	100lm/W
Light Efficiency CRI	100lm/W 80
Light Efficiency  CRI  Beam Angle	100lm/W 80
Light Efficiency  CRI  Beam Angle  Illumination Diagram	100lm/W 80
Light Efficiency  CRI  Beam Angle	100lm/W 80
Light Efficiency  CRI  Beam Angle  Illumination Diagram	100lm/W 80
CRI Beam Angle Illumination Diagram	100lm/W  80  110°
Light Efficiency  CRI  Beam Angle  Illumination Diagram  Packing Info  Box Length	100lm/W 80 110°  72,4cm
Light Efficiency  CRI  Beam Angle  Illumination Diagram  Packing Info  Box Length  Box Width	100lm/W 80 110°  72,4cm 6,8cm
Light Efficiency  CRI  Beam Angle  Illumination Diagram  Packing Info  Box Length  Box Width  Box Height	100lm/W 80 110° 72,4cm 6,8cm 8,8cm

Warranty	2 Years
Weee Directive	Yes

Certification & Warranty