



LED Linear track light, high lumen output ideal for shops and showrooms.

Complete with driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Related items



40003A/W

Physical Specification	
Item Group	10 Track Spots
Family	The Track Floodlight Range
Order Code	65020T/W/C
Colour	White
Material	Die Cast
Shape	Rectangular
Length	170mm

Width	35mm
Height	105mm
Track mounted	Yes
Indoor	Yes
Adjustable	2 Directions

Electrical Characteristics

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	20W
IP Rating	IP20
Light Source	LED built in
Dimmable	No

Fitting	
Input Type	Constant Current
Input Current	600mA
Voltage	30V
Power(Watts)	20W
IP Rating	IP20
Light Source	LED built in
LED Type	SMD 3030
LED Brand	Lumileds
LED Number	20

Gear

Gear Type
Input Voltage
50 Hz
60 Hz
Power(Watts)
Power Factor
Constant Current
600mA
IP Rating
Safety Class
Dimmable
Housing Material
Output Terminal
Manufacturer
Protection

Led Driver
220-240V
Yes
Yes
16,2-25,2W
0,9
Yes
27-42V
IP20

No
Plastic
Connector
Lifud
Short Circuit Protection

Illumination Data

Colour Temperature
Lumen Output
Light Efficiency
CRI
Beam Angle
Illumination Diagram

4000K
1500lm
75lm/W
80
24°



Packing Info

Box Length
Box Width
Box Height
Box Weight
Pcs/Carton

18cm
16cm
4.5cm
0,6Kg
20

Barcode	5291889053842
HS Code	9405409900

Energy Label



Certification & Warranty

Warranty	2 Years
Weee Directive	Yes